

内容 Contents

Section 17 文献 1	1
参考資料 8 References.....	1
参考資料 2a. 英露 Pavlov 2nd Part より一文献.....	1
参考資料 2b. 英露 Pavlov Brain and Mind 1st Part より一文献.....	3
Section 18 文献 2	12
参考資料 8a References, fort, those from my Book 2006.....	21
文献.....	21

Section 17 文献 1

参考資料 8 References

参考資料 2a. 英露 Pavlov 2nd Part より一文献

References (check later)

Carlsson, A., and Carlsson, L.

Hjarnans budbarare, Stockholm, 1988. (Japanese translation, by H. Narabayashi & R. Iizuka, Igakushoin, Tokyo, 1993)

Engels, F.

Dialektik der Natur : Anteil der Arbeit an der Menschwerdung des Affen, 1876.

Feinberg, I., and Guazzelli, M.

Schizophrenia -- as a disorder of the corollary discharge systems that integrate the motor systems of thought with sensory systems of consciousness, British J. Psychiatry 174 (1999) 196-204.

Jackson, J.H.

Selected Writings of John Hughlings Jackson, Vols. 1 & 2 , ed. by J. Taylor (1931,32)

- Jasper, H.
 Diffuse projection systems: the integrative action of the thalamic reticular system.
Electroenceph. Clin. Neurophysiol. 1 (1949) 405-420.
- Jouvet, M.
 The role of monoamines and acetylcholine containing neurons in the regulation of the sleep-waking cycle, *Ergeb. Physiol.* 64 (1972) 166-307.
- Maeda T et al. (2012)
 Aberrant sense of agency in patients with schizophrenia : Forward and backward over-attribution of temporal causality during intentional action
Psychiatry Research, 2012
- Moruzzi, G., and Magoun, H. W.
 Brain stem reticular formation and activation of the EEG, *Electroenceph. Clin. Neurophysiol.* 1 (1949) 455-473.
- Pavlov, I.P.
 Lectures on the Activity of the Cerebral Hemisphere, (1927a) Leningrad.
 Pavlov, I.P.
 Conditioned Reflexes, An Investigation of the Physiological Activity of the Cerebral Cortex.
 (Transl. & Ed. by G.V. Anrep) 1927b, Oxford Univ. Press.

参考資料 2b. 英露 Pavlov Brain and Mind 1st Part より一文献

References

- Alexander, G.E, DeLong, M.R., and Strick, P.L.
 Parallel organization of functionally segregated circuits linking basal ganglia and cortex, *Annu. Rev. Neurosci.*, 9(1986) 357-381.
- Assad, W.F, Rainer G, and Miller, E.K.
 Neural activity in the primate prefrontal cortex during associative learning., *Neuron*, 21(1998)1399-1407.
- Azuma, M., Suzuki, H.
 Properties and distribution of auditory neurons in the dorsolateral prefrontal cortex of the alert monkey, *Brain Res.* 298 (1984) 343-346.
- Baddeley, A.: Working memory, 1986, Oxford University Press.
- Baizer, J.S., Ungerleider, L.G., and Desimone, R.
 Organization fo visual inputs to the inferior temporal and posterior parietal cortex in macaques, *J.Neurosci.* 11 (1991) 168-190.
- Balaban, E., Teillet, M.-A., and LeDouarin, N.
 Application of the quail-chick chimera system to the study of brain development and behavior, *Science*, 241 (1988) 1339-1342.

Bever, T.G., and Chiarello, R.J.
Musicians and non-musicians, Science 185 (1974) 537-539.

Bruce, C., Desimone, R., and Gross, G.G.
Visual properties of neurons in a polysensory area in superior temporal sulcus of the macaque, J. Neurophysiol. 46 (1981) 369-384.

Bruce, L.L., and Neary, T.J.
The limbic system of tetrapods: a comparative analysis of cortical and amygdalar populations, Brain Behav. Evol. 46 (1995) 223-234.

Bushara, K.O., Weeks, R.A., Ishii, K., Catalan, M.-J., Tian, B., Rauschecker, J.P., and Hallett, M.
Modality-specific frontal and parietal areas for auditory and visual localization in humans, Nature Neurosci. 2 (1999) 759-766.

Cabanac, M.
Emotion and phylogeny, Jpn. J. Physiol. 49 (1999) 1-10.

Carlsson, A., and Carlsson, L.
Hjarnans budbarare, Stockholm, 1988. (Japanese translation, by H. Narabayashi & R. Iizuka, Igakushoin, Tokyo, 1993)

Desimone, R., Schein, S.J. Moran, J., and Ungerleider, J.G.
Contour, color and shape analysis beyond the striate cortex, Vision Res. 25 (1985) 441-452.

Felleman, D.J., and Van Essen, D.C.
Distributed Hierarchical Processing in the Primate Cerebral Cortex, Cereb. Cortex 1 (1991) 1-47.

Gates, A., and Bradshaw, J.L.
Music perception and cerebral asymmetries, Cortex 13 (1977) 390-401.

Goldman-Rakic, P. S.
Working memory and the mind, Scient. Am. (1992) 110-117.

Goodale M.A., and Milner, A.D.
Separate visual pathways for perception and action, TINS 15 (1992) 20-25.

Hasegawa, I., Hayashi, T., and Miyashita, Y.
Memory retrieval under the control of the prefrontal cortex, Ann. Med. 31 (1999) 380-387.

He, J., Hashikawa T., Ojima, H., and Kinouchi, Y.
Temporal integration and duration tuning in the dorsal zone of cat auditory cortex, J. Neurosci. 17 (1997) 2615-2625.

• Hikosaka, O., Nakahara, H., Rand M.K., Sakai, K., Lu, X., Nakamura, K., Miyachi, S., and Doya, K.
Parallel neural networks for learning sequential procedures, Trends Neurosci. 10 (1999) 464-471.

Hirai, T., Onodera, S., and Kawamura, K.
Cerebellotectal projections studied in cats with horseradish peroxidase or tritiated amino acids
axonal transports, Exp. Brain Res. 48 (1982) 1-12.

Hollerman, J.R. and Schultz, W.
Dopamine neurons report an error in the temporal prediction of reward during learning. Nature neurosci. 1 (1998) 304-309.

Hubel, D.H., and Wiesel, T.N.
Receptive fields, binocular interaction and functional architecture in the cat's visual cortex, J. Physiol. (Lond.) 160 (1962) 106-154.

Hubel, D.H., and Wiesel, T.N.
Receptive fields and functional architecture in two non-striate visual areas (18 and 19) of the cat, J. Neurophysiol. 28 (1965) 229-289.

Hubel, D.H., and Wiesel, T.N.
Receptive fields and functional architecture of monkey striate cortex, , J. Physiol. (Lond.) 195 (1968) 215-243.

Hubel, D.H., and Wiesel, T.N.
Anatomical demonstration of columns in the monkey striate cortex, Nature 221 (1969) 747-750.

Ioannides, A.A., Popescu, M., Otsuka, A., Bezerianos, A., and Liu, L.
Magnetoencephalographic evidence of the interhemispheric asymmetry in echoic memory lifetime and its dependence on handedness and gender, Neuroimage 19 (2003) 1061-1075.

Jones, E.G., and Powell, T.P.S.
Anatomical study of converging sensory pathways within the cerebral cortex in the monkey, Brain 93 (1970) 793-820.

Kaas J.H., and Hackett, T.A.
What' and 'where' processing in auditory cortex, Nature neurosci. 2 (1999) 1045-1047.

Kawagoe, R., Takikawa, Y., and Hikosaka, O.
Expectation of reward modulates cognitive signals in the basal ganglia, Nat. Neurosci. 5 (1998) 411-416.

Kawamura, K.
Corticocortical fiber connections of the cat cerebrum. I. The temporal region, Brain Res., 51 (1973a) 1-22.

Kawamura, K.
Corticocortical fiber connections of the cat cerebrum. II. The parietal region, Brain Res., 51 (1973b) 23-40.

Kawamura, K.
Corticocortical fiber connections of the cat cerebrum. III. The occipital region, Brain Res., 51 (1973c) 41-60.

•Kawamura, K.
Corticocortical fiber connections of the “association” areas. Comparison of the fiber connections of cats with those of monkeys with comments on the development of the “association” cortex, Progr. Nerv. Res. 21 (1977) 17-33.

Kawamura, K.
Visuomotor and audiomotor mechanisms involving tectocerebellar system, Brain and Nerve 36 (1984) 1149-1158.

Kawamura, K., Kase, M., Ohno, M., Hashikawa, T., and Kato, M.
Visual inputs to the dorsocaudal fastigial nucleus of the cat cerebellum. An experimental study using single unit recordings and horseradish peroxidase labeling , Arch. Ital. Biol. 128 (1990) 295-314.

Kawamura K., and Naito, J.
Corticocortical projections to the prefrontal cortex in the rhesus monkey investigated with horseradish peroxidase techniques, Neurosci. Res., 1 (1984) 89-103.

Kawamura, K., and Norita, M.
Corticoamygdaloid projections in the rhesus monkey. An HRP study, Iwate med. Ass., 32 (1980) 461-465.

Kawamura, K., Obata, K.
Mechanism of emotion, a historical consideration, Brain Science, 20/7 (1998) 709-716.

Kawamura, K., and Otani, K.
Corticocortical fiber connections in the cat cerebrum: the frontal region, J. comp. Neurol., 139 (1970) 423-448.

Kawamura, K., Tsubokawa, T., Tan-Takeuchi, K.
Emotional expression in fish and mammals, Okazaki Physiol. Inst. Seminar, 1999

Kawano, H., Fukuda, T., Kubo, K., Horie, M., Uyemura, K., Takeuchi, K., Osumi, N., Eto, K., Kawamura, K.
Pax-6 is required for thalamocortical pathway formation in fetal rats. J. Comp. Neurol. 408 (1999) 147-160

Kimura, D.
Left-right differences in the perception melodies, Q.J. Exp. Psychol. 16 (1964) 355-358.

Liégeois-Chauvel C., de Graaf JB, Laguitton V, Chauvel P.
Specialization of left auditory cortex for speech perception in man depends on temporal coding,
Cereb Cortex 9 (1999) 484-496.

Liégeois-Chauvel, C., Giraud, K., Badier,J.-M., Maequis, P., and Chauvel. P.
Intracerebral evoked potentials in pitch perception reveal a functional asymmetry of the human auditory cortex, Ann. N.Y. Acad. Sci. 930 (2001) 117-132.

MacLean, P. D.

A triune concept of the brain and behavior, In : The Hincks Memorial Lectures, eds by Boag, T.,and Cambell, D., Univ. of Tronto Press, Tronto, 1973, pp6-66.

Matsukawa, K., Kamei, H., Minoda, K., and Udo, M.

Interlimb coordination in cat locomotion investigated with perturbation. I. Behavioral and electromyographic study on symmetric limbs of decerebrate and awake walking cats, *Exp Brain Res.* (1982) 46 425-437.

Maunsell, J.H.R. and Van Essen, D.C.

The connections of the middle temporal visual area (MT) and their relationship to cortical hierarchy in the macaque monkey, *J. Neuroscience* 3 (1983) 2563-2586.

Merzenich, M.M., and Brugge, J.F.

Representation of the cochlear partition on the superior temporal plane of the macaque monkey. *Brain Res.* 50 (1973) 275-296.

Moruzzi, G., and Magoun, H. W.

Brain stem reticular formation and activation of the EEG, *Electroenceph. Clin. Neurophysiol.* 1 (1949) 455-473.

Mountcastle, V.B.

Modality and topographic properties of single neurons of cat's somatic sensory cortex, *J. Neurosci*. 20 (1957) 408-434.

Mountcastle, V.B., Covian M.R., and Harrison, C.R.

The central representation of some forms of deep sensibility. *Ass. Res. Nerv. Dis. Proc.* 30 (1952) 339-370.

Mountcastle, V.B., Lynch J.C., Georgopoulos, A., Sakata, H., and Acuna,C.

Posterior parietal association cortex of the monkey: command functions for operations within extrapersonal space. *J. Neurophysiol.* 38 (1975) 871-908.

Norita, M., and Kawamura, K.

Subcortical afferents to the monkey amygdala: an HRP study, *Brain Res.* 190 (1980) 225-230.

Ohyama, K., Kimura, S., Katayama, M., Kawamura, K.

Developmental defects of the limbic cortex and axon pathfinding of the anterior commissure in Tebp (NKx 2.1) null mice. *Development*, to appear.

Parent, A. and Hazrati, L-N.

Functional anatomy of the basal ganglia. I. The cortico-basal gaanglia-thalamo-cortical loop, *Brain Res. Rev.* 20 (1995) 91-127.

Pavlov, I.P.

(Objective) Studies of Higher Nervous Activities, Transl. By Okada & Yokoyama, Iwasaki Academic Publ., Tokyo, 1979

Penfield, W., and Welch, K.

The supplementary motor area of the cerebral cortex. A clinical and experimental study. *Arch. Neurol. Psychiat.* (Chic.) 66 (1951) 289-317.

Rockland, K.S., and Van Hoesen, G.W.

Direct temporal-occipital feedback connections to striate cortex (V1) in the macaque monkey,
Cereb Cortex 4 (1994) 300-313.

Romanski, L.M., Tian, B., Fritz, J., Mishkin, M., Goldman-Rakic, P.S., and Rauschecker, J.P.
Dual streams of auditory afferents target multiple domains in the primate prefrontal cortex,
Nature Neurosci. 2 (1999) 1131-1136.

Sakagami, M., and Niki, H.

Encoding of behavioral significance of visual stimuli by primate prefrontal neurons: relation to relevant task conditions, *Exp Brain Res*, 97 (1994) 423-436.

Sakagami, M. and Tsutsui, K.

The hierarchical organization of decision making in the primate prefrontal cortex, *Neurosci. Res.* 34 (1999) 79-89.

Sakagami, M., Tsutsui, K.

Two types of functional plasticity in prefrontal neurons; Neuronal mechanism for higher cognitive function, *Science of Brain*, 21 (1999) 617-625.

Sakagami, M., Tsutsui, K., Lauwereyns, J., Koizumi, M., Kobayashi, S., and Hikosaka, O.

A code for behavioral inhibition on the basis of color, but not motion, in ventrolateral prefrontal cortex of macaque monkey, *J. Neurosci.* 21 (2001) 4801-4808.

Sakai, K.

Time course of brain activation during learning, *Prog. Nerv. Res.*, 43 (1999) 542-551.

Sakai, K., Hikosaka, O., Miyauchi, S., Takino, R., Tamada, T., Iwata, N.K., and Nielsen, M.
Neural representation of a rhythm depends on its interval ratio. *J. Neurosci.* 22 (1999) 10074-10081.

Sakai, K., Hikosaka, O., Takino R., Miyauchi, S., Nielsen M., and Tamada, T.: What and When:
Parallel and convergent processing in motor control, *J., Neurosci.* 20 (2000) 2691-2700.

Saleem, K.S., Suzuki, W., Tanaka K., and Hashikawa, T.

Connections between anterior inferotemporal cortex and superior temporal sulcus regions in the macaque monkey, *J. Neurosci.* 20 (2000) 5083-5101.

Shenton, M.E., Dickey, C.C., Frumin, M., and McCarley, R.W.

A review of MRI findings in schizophrenia, *Schizophr. Res.* 49 (2001) 1-52.

Shima, K., and Tanji, J.

Role of cingulate motor area cells in voluntary movement selection based on reward, *Science* 282 (1998) 1335-1338.

Schultz, W.

Predictive reward signal of dopamine neurons. *J. Neurophysiol.*, 80 (1998) 1-27.

Schultz, W., Dayan, P., and Montague, R

A neural substrate of prediction and reward. *Science*, 275 (1997) 1593-1599.

Snider, R.S., and Eldred, E.
Cerebral projections to the tactile, auditoy and visual areas of the cerebellum. (Abstract.) Anat. Rec. 100 (1948) 714.

Snider, R.S., and Eldred, E.
Electro-anatomical studies on cerebro-cerebellar connections in the cat. J. Comp. Neurol., 95 (1951) 1-16.

Snider, R.S., and Stowell, A.
Receiving areas of the tactile, auditory and visual systems in the cerebellum. J. Neurophysiol. 7 (1944) 331-357.

Suzuki, H.
Distribution and organization of visual and auditory neurons in the monkey prefrontal cortex, Vision Res. 25 (1985) 465-469.

Tanji, J.
Brain and Motion—Brain that executes action, Kyoritu Publisher, Tokyo, 1999

Tokizane, T.
Illustrated Atlas of the Brain, Tokyo Univ. Publ. 1969.

Ungerleider, L. G., and Mishkin, M.
In : Analysis of visual behavior, eds by Ingle, D. I., Goodale, M. A., and Mansfield, R. J. W. , 1982, pp.549-586, MIT Press, Cambridge, Massachusetts.

Yukie, M., and Iwai, E.
Direct projection from the dorsal geniculate nucleus to the prestriate cortex in macaque monkeys, J.comp. Neurol. 201 (1981) 81-97.

Section 18 文献 2

Alexander, G.E, DeLong, M.R., and Strick, P.L.
Parallel organization of functionally segregated circuits linking basal ganglia and cortex, Annu. Rev. Neurosci., 9(1986) 357-381.

Assad, W.F, Rainer G, and Miller, E.K.
Neural activity in the primate prefrontal cortex during associative learning., Neuron, 21(1998)1399-1407.

Azuma, M., Suzuki, H.
Properties and distribution of auditory neurons in the dorsolateral prefrontal cortex of the alert monkey, Brain Res. 298 (1984) 343-346.

Baddeley, A.: Working memory, 1986, Oxford University Press.

Baizer, J.S., Ungerleider, L.G., and Desimone, R.
Organization fo visual inputs to the inferior temporal and posterior parietal cortex in macaques,
J.Neurosci. 11 (1991) 168-190.

Balaban, E., Teillet, M.-A., and LeDouarin, N.
Application of the quail-chick chimera system to the study of brain development and behavior,
Science, 241 (1988) 1339-1342.

Bever, T.G., and Chiarello, R.J.
Musicians and nonmusicians, Science 185 (1974) 537-539.

Bruce, C., Desimone, R., and Gross, G.G.
Visual properties of neurons in a polysensory area in superior temporal sulcus of the macaque, J.
Neurophysiol. 46 (1981) 369-384.

Bruce, L.L., and Neary, T.J.
The limbic system of tetrapods: a comparative analysis fo cortical and amygdalar populations,
Brain Behav. Evol. 46 (1995) 223-234.

Bushara, K.O., Weeks, R.A., Ishii, K., Catalan, M.-J., Tian, B., Rauschecker, J.P., and Hallett, M.
Modality-specific frontal and parietal areas for auditory and visual localization in humans,
Nature Neurosci. 2 (1999) 759-766.

Cabanac, M.
Emotion and phylogeny, Jpn. J. Physiol. 49 (1999) 1-10.

Carlsson, A., and Carlsson, L.
Hjarnans budbarare, Stockholm, 1988. (Japanese translation, by H. Narabayashi & R. Iizuka,
Igakushoin, Tokyo, 1993)

Desimone, R., Schein, S.J. Moran, J., and Ungerleider, J.G.
Contour, color and shape analysis beyond the striate cortex, Vision Res. 25 (1985) 441-452.

Felleman, D.J., and Van Essen, D.C.
Distributed Hierarchical Processing in the Primate Cerebral Cortex, Cereb. Cortex 1 (1991) 1-47.

Gates, A., and Bradshaw, J.L.
Music perception and cerebral asymmetries, Cortex 13 (1977) 390-401.

Goldman-Rakic, P. S.
Working memory and the mind, Scient. Am. (1992) 110-117.

Goodale M.A., and Milner, A.D.
Separate visual pathways for perception and action, TINS 15 (1992) 20-25.

Hasegawa, I., Hayashi, T., and Miyashita, Y.
Memory retrieval under the control of the prefrontal cortex, Ann. Med. 31 (1999) 380-387.

- He, J., Hashikawa T., Ojima, H., and Kinouchi, Y.
Temporal integration and duration tuning in the dorsal zone of cat auditory cortex, *J. Neurosci.* 17 (1997) 2615-2625.
- Hikosaka, O., Nakahara, H., Rand M.K., Sakai, K., Lu, X., Nakamura, K., Miyachi, S., and Doya, K.
Parallel neural networks for learning sequential procedures, *Trends Neurosci.* 10 (1999) 464-471.
- Hirai, T., Onodeara, S., and Kawamura, K.
Cerebellotectal projections studied in cats with horseradish peroxidase or tritiated amino acids axonal transports, *Exp. Brain Res.* 48 (1982) 1-12.
- Hollerman, J.R. and Schultz, W.
Dopamine neurons report an error in the temporal prediction of reward during learning, *Nature neurosci.* 1 (1998) 304-309.
- Hubel, D.H., and Wiesel, T.N.
Receptive fields, binocular interaction and functional architecture in the cat's visual cortex, *J. Physiol. (Lond.)* 160 (1962) 106-154.
- Hubel, D.H., and Wiesel, T.N.
Receptive fields and functional architecture in two non-striate visual areas (18 and 19) of the cat, *J. Neurophysiol.* 28 (1965) 229-289.
- Hubel, D.H., and Wiesel, T.N.
Receptive fields and functional architecture of monkey striate cortex, , *J. Physiol. (Lond.)* 195 (1968) 215-243.
- Hubel, D.H., and Wiesel, T.N.
Anatomical demonstration of columns in the monkey striate cortex, *Nature* 221 (1969) 747-750.
- Ioannides, A.A., Popescu, M., Otsuka, A., Bezerianos, A, and Liu, L.
Magnetoencephalographic evidence of the interhemispheric asymmetry in echoic memory lifetime and its dependence on handedness and gender, *Neuroimage* 19 (2003) 1061-1075.
- Jones, E.G., and Powell, T.P.S.
Anatomical study of converging sensory pathways within the cerebral cortex in the monkey, *Brain* 93 (1970) 793-820.
- Kaas J.H., and Hackett, T.A.
What' and 'where' processing in auditory cortex, *Nature neurosci.* 2 (1999) 1045-1047.
- Kawagoe, R., Takikawa, Y., and Hikosaka, O.
Expectation of reward modulates cognitive signals in the basal ganglia, *Nat. Neurosci.* 5 (1998) 411-416.
- Kawamura, K.
Corticocortical fiber connections of the cat cerebrum. I. The temporal region, *Brain Res.*, 51 (1973a) 1-22.

Kawamura, K.
Corticocortical fiber connections of the cat cerebrum. II. The parietal region, Brain Res., 51 (1973b) 23-40.

Kawamura, K.
Corticocortical fiber connections of the cat cerebrum. III. The occipital region, Brain Res., 51 (1973c) 41-60.

•Kawamura, K.
Corticocortical fiber connections of the “association” areas. Comparison of the fiber connections of cats with those of monkeys with comments on the development of the “association” cortex, Progr. Nerv. Res. 21 (1977) 17-33.

Kawamura, K.
Visuomotor and audiomotor mechanisms involving tectocerebellar system, Brain and Nerve 36 (1984) 1149-1158.

Kawamura, K., Kase, M., Ohno, M., Hashikawa, T., and Kato, M.
Visual inputs to the dorsocaudal fastigial nucleus of the cat cerebellum. An experimental study using single unit recordings and horseradish peroxidase labeling , Arch. Ital. Biol. 128 (1990) 295-314.

Kawamura K., and Naito, J.
Corticocortical projections to the prefrontal cortex in the rhesus monkey investigated with horseradish peroxidase techniques, Neurosci. Res., 1 (1984) 89-103.

Kawamura, K., and Norita, M.
Corticoamygdaloid projections in the rhesus monkey. An HRP study, Iwate med. Ass., 32 (1980) 461-465.

Kawamura, K., Obata, K.
Mechanism of emotion, a historical consideration, Brain Science, 20/7 (1998) 709-716.

Kawamura, K., and Otani, K.
Corticocortical fiber connections in the cat cerebrum: the frontal region, J. comp. Neurol., 139 (1970) 423-448.

Kawamura, K., Tsubokawa, T., Tan-Takeuchi, K.
Emotional expression in fish and mammals, Okazaki Physiol. Inst. Seminar, 1999

Kawano, H., Fukuda, T., Kubo, K., Horie, M., Uyemura, K., Takeuchi, K., Osumi, N., Eto, K., Kawamura, K.
Pax-6 is required for thalamocortical pathway formation in fetal rats. J. Comp. Neurol. 408 (1999) 147-160

Kimura, D.
Left-right differences in the perception melodies, Q.J. Exp. Psychol. 16 (1964) 355-358.

Liégeois-Chauvel C., de Graaf JB, Laguitton V, Chauvel P.

Specialization of left auditory cortex for speech perception in man depends on temporal coding,
Cereb Cortex 9 (1999) 484-496.

Liégeois-Chauvel, C., Giraud, K., Badier, J.-M., Maequis, P., and Chauvel, P.
Intracerebral evoked potentials in pitch perception reveal a functional asymmetry of the human
auditory cortex, Ann. N.Y. Acad. Sci. 930 (2001) 117-132.

MacLean, P. D.

A triune concept of the brain and behavior, In : The Hincks Memorial Lectures, eds by Boag,
T., and Campbell, D., Univ. of Tronto Press, Tronto, 1973, pp6-66.

Matsukawa, K., Kamei, H., Minoda, K., and Udo, M.

Interlimb coordination in cat locomotion investigated with perturbation. I. Behavioral and
electromyographic study on symmetric limbs of decerebrate and awake walking cats, Exp Brain
Res. (1982) 46 425-437.

Maunsell, J.H.R. and Van Essen, D.C.

The connections of the middle temporal visual area (MT) and their relationship to cortical
hierarchy in the macaque monkey, J. Neuroscience 3 (1983) 2563-2586.

Merzenich, M.M., and Brugge, J.F.

Representation of the cochlear partition on the superior temporal plane of the macaque monkey.
Brain Res. 50 (1973) 275-296.

Moruzzi, G., and Magoun, H. W.

Brain stem reticular formation and activation of the EEG, Electroenceph. Clin. Neurophysiol. 1
(1949) 455-473.

Mountcastle, V.B.

Modality and topographic properties of single neurons of cat's somatic sensory cortex, J.
Neurosci. 20 (1957) 408-434.

Mountcastle, V.B., Covian M.R., and Harrison, C.R.

The central representation of some forms of deep sensibility. Ass. Res. Nerv. Dis. Proc. 30
(1952) 339-370.

Mountcastle, V.B., Lynch J.C., Georgopoulos, A., Sakata, H., and Acuna, C.

Posterior parietal association cortex of the monkey: command functions for operations within
extrapersonal space. J. Neurophysiol. 38 (1975) 871-908.

Norita, M., and Kawamura, K.

Subcortical afferents to the monkey amygdala: an HRP study, Brain Res. 190 (1980) 225-230.

Ohyama, K., Kimura, S., Katayama, M., Kawamura, K.

Developmental defects of the limbic cortex and axon pathfinding of the anterior commissure in
T/ebp (NKx 2.1) null mice. Development, to appear.

Parent, A. and Hazrati, L-N.

Functional anatomy of the basal ganglia. I. The cortico-basal ganglia-thalamo-cortical loop,
Brain Res. Rev. 20 (1995) 91-127.

Pavlov, I.P.
(Objective) Studies of Higher Nervous Activities, Transl. By Okada & Yokoyama, Iwasaki Academic Publ., Tokyo, 1979

Penfield, W., and Welch, K.
The supplementary motor area of the cerebral cortex. A clinical and experimental study. Arch. Neurol. Psychiat. (Chic.) 66 (1951) 289-317.

Rockland, K.S., and Van Hoesen, G.W.
Direct temporal-occipital feedback connections to striate cortex (V1) in the macaque monkey, *Cereb Cortex* 4 (1994) 300-313.

Romanski, L.M., Tian, B., Fritz, J., Mishkin, M., Goldman-Rakic, P.S., and Rauschecker, J.P.
Dual streams of auditory afferents target multiple domains in the primate prefrontal cortex, *Nature Neurosci.* 2 (1999) 1131-1136.

Sakagami, M., and Niki, H.
Encoding of behavioral significance of visual stimuli by primate prefrontal neurons: relation to relevant task conditions, *Exp Brain Res.* 97 (1994) 423-436.

Sakagami, M. and Tsutsui, K.
The hierarchical organization of decision making in the primate prefrontal cortex, *Neurosci. Res.* 34 (1999) 79-89.

Sakagami, M., Tsutsui, K.
Two types of functional plasticity in prefrontal neurons; Neuronal mechanism for higher cognitive function, *Science of Brain*, 21 (1999) 617-625.

Sakagami, M., Tsutsui, K., Lauwereyns, J., Koizumi, M., Kobayashi, S., and Hikosaka, O.
A code for behavioral inhibition on the basis of color, but not motion, in ventrolateral prefrontal cortex of macaque monkey, *J. Neurosci.* 21 (2001) 4801-4808.

Sakai, K.
Time course of brain activation during learning, *Prog. Nerv. Res.*, 43 (1999) 542-551.

Sakai, K., Hikosaka, O., Miyauchi, S., Takino, R., Tamada, T., Iwata, N.K., and Nielsen, M.
Neural representation of a rhythm depends on its interval ratio. *J. Neurosci.* 22 (1999) 10074-10081.

Sakai, K., Hikosaka, O., Takino, R., Miyauchi, S., Nielsen, M., and Tamada, T.: What and When: Parallel and convergent processing in motor control, *J. Neurosci.* 20 (2000) 2691-2700.

Saleem, K.S., Suzuki, W., Tanaka, K., and Hashikawa, T.
Connections between anterior inferotemporal cortex and superior temporal sulcus regions in the macaque monkey, *J. Neurosci.* 20 (2000) 5083-5101.

Shenton, M.E., Dickey, C.C., Frumin, M., and McCarley, R.W.
A review of MRI findings in schizophrenia, *Schizophr. Res.* 49 (2001) 1-52.

Shima, K., and Tanji, J.
Role of cingulate motor area cells in voluntary movement selection based on reward, *Science*

282 (1998) 1335-1338.

Schultz, W.

Predictive reward signal of dopamine neurons. J.Neurophysiol., 80 (1998) 1-27.

Schultz, W., Dayan, P., and Montague, R

A neural substrate of prediction and reward. Science, 275 (1997) 1593-1599.

Snider, R.S., and Eldred, E.

Cerebral projections to the tactile, auditory and visual areas of the cerebellum. (Abstract.) Anat. Rec. 100 (1948) 714.

Snider, R.S., and Eldred, E.

Electro-anatomical studies on cerebro-cerebellar connections in the cat. J. Comp. Neurol., 95 (1951) 1-16.

Snider, R.S., and Stowell, A.

Receiving areas of the tactile, auditory and visual systems in the cerebellum. J. Neurophysiol. 7 (1944) 331-357.

Suzuki, H.

Distribution and organization of visual and auditory neurons in the monkey prefrontal cortex, Vision Res. 25 (1985) 465-469.

Tanji, J.

Brain and Motion—Brain that executes action, Kyoritu Publisher, Tokyo, 1999

Tokizane, T.

Illustrated Atlas of the Brain, Tokyo Univ. Publ. 1969.

Ungerleider, L. G., and Mishkin, M.

In : Analysis of visual behavior, eds by Ingle, D. I., Goodale, M. A., and Mansfield, R. J. W. , 1982, pp.549-586, MIT Press, Cambridge, Massachusetts.

Yukie, M., and Iwai, E.

Direct projection from the dorsal geniculate nucleus to the prestriate cortex in macaque monkeys, J.comp. Neurol. 201 (1981) 81-97.

参考資料 8a References, fort, those from my Book 2006

文献

阿部純一

旋律はいかに処理されるか、In: 音楽と認知、波多野謙余夫(編)1987、東京大学出版会

阿部純一

音楽知覚における拍節的体制化と調性的体制化の過程、脳の科学 24 (2002) 907-923.

Aggleton, J.P.
A description of the amygdalo-hippocampal interconnections in the macaque monkey, *Exp. Brain Res.* 64 (1986) 515-526.

Aggleton, J.P. (Ed.)
The Amygdala, A functional analysis, second edition, 690 pp. 2000, Oxford Univ. Press.

Aghajanian, G.K.
Modulation of a transient outward current in serotonergic neurones by alpha 1-adrenoceptors, *Nature* 315 (1985) 501-503.

Ahn, S., and Phillips, A.G.
Dopaminergic correlates of sensory-specific satiety in the medial prefrontal cortex and nucleus accumbens of the rat, *J. Neurosci.* 19 (1999) RC29.

Aizawa, H., Sato, Y., Maekawa, M., Fujisawa, H., Hirata, A., and Yuasa, S.
Development of the amygdalohypothalamic projection in the mouse embryonic forebrain, *Anat. Embryol.* 208 (2004) 249-264.

秋元波留夫
実践精神医学講義、pp.1044, 2002年、日本文化科学社

Alain, C., McNeely, H.E., He, L., Christensen, B.K., and West, R.
Neurophysiological evidence of error-monitoring deficits in patients with schizophrenia, *Cerebral Cortex* 12 (2002) 840-846.

Alexander, G.E., DeLong, M.R., and Strick, P.L.
Parallel organization of functionally segregated circuits linking basal ganglia and cortex, *Annu. Rev. Neurosci.* 9(1986) 357-381.

Allen, G.I., and Tsukahara, N.
Cerebrocerebellar communication system, *Physiol. Rev.* 54 (1974) 957-1006.

Allman, J.M., Hakeem, A., Erwin, J.M., Nimchinsky, E., and Hof, P.
The anterior cingulate cortex, The evolution of an interface between emotion and cognition, *Ann.N.Y. Acad. Sci.* 935 (2001) 107-117.

Allman, J., Hakeem, A., and Watson, K.
Two phylogenetic specializations in the human brain, *Neuroscientist* 8 (2002) 335-346.

Amaral,D.G.,Price, J.L., Pitkaenen, A., and Carmichael, S.T.
Anatomical organization of the primate amygdaloid complex, pp. 1-66. In: *The amygdala, Neurobiological Aspects of Emotion, Memory, and Mental Dysfunction*, Ed. by Aggleton,J.P., Wiley-Liss,1992

American Psychiatric Association: Diagnostic and Statistical Manual of Mental Disorders, 3rd ed. (DSM-III). Washington, D.C., 1988.

American Psychiatric Association: Diagnostic and Statistical Manual of Mental Disorders, 4th ed.

(DSM-IV). Washington, D.C., 1994.

Andersson,G., and Oscarsson,O.

Projections to lateral vestibular nucleus from cerebellar climbing fiber zones, *Exp.Brain Res.* 32 (1978a) 549-564.

Andersson,G., and Oscarsson,O.

Climbing fiber microzones in cerebellar vermis and their projection to different groups of cells in the lateral vestibular nucleus, *Exp.Brain Res.* 32 (1978b) 565-579.

Andreasen, N.C.

Schizophrenia, From Mind to Molecule, 1994; 分裂病最新研究—精神から分子レベルまで— 秋元波留夫 監訳、創造出版、1996.

Andreasen, N.C., Paradiso, S., and O'Leary, D.S.

"Cognitive dysmetria" as an integrative theory of schizophrenia: a dysfunction in cortico-subcortical-cerebellar circuitry ? *Schizophr. Bull.* 24 (1998) 203-218.

Andersen, R.A., Snyder, L.H., Bradley, D.C., and Xing, J.

Multimodal representation of space in the posterior parietal cortex and its use in planning movements, *Annu. Rev. neurosci.* 20 (1997) 303-330.

青崎敏彦

線条体アセチルコリンと運動制御、*Brain Medical* 11 (1999) 20-26.

Arango, V., Underwood, M.D., Gubbi, A.V., and Mann, J.J.

Localized alterations in pre- and postsynaptic serotonin binding sites in the ventrolateral prefrontal cortex of suicide victims, *Brain Res.* 688 (1995) 121-133.

Ardila, A.

The role of insula in language: an unsettled question, *Aphasiology* 13 (1999) 79-87.

Armstrong,D.M., Harvey,R.J., and Schild,R.F.

Topographical localization in the olivocerebellar projection: an electrophysiological study in the cat, *J. comp. Neurol.* 154 (1974) 287-302.

Asaad, W.F., Rainer G., and Miller, E.K.

Neural activity in the primate prefrontal cortex during associative learning, *Neuron* 21(1998)1399-1407.

Asada, H., Fukuda, Y., Tsunoda, S., Yamaguchi, M., and Tonoike, M.

Frontal midline theta rhythms reflect alternative activations of prefrontal cortex and anterior cingulate cortex in humans, *Neurosci.Lett.* 274 (1999) 29-32.

Azuma, M., and Suzuki H.

Properties and distribution of auditory neurons in the dorsolateral prefrontal cortex of the alert monkey, *Brain Res.* 298 (1984) 343-346.

Baddeley, A.

Working memory, 1986, Oxford University Press.

Baddeley, A., and Della Sala, S.

Working memory and executive control, p.9-21, In: The Prefrontal cortex—Executive and Cognitive Functions, Eds. by Roberts, A.C., Robbins, T.W., and Weiskrantz, L., 1998, Oxford University Press.

Bailey, P., Barenne, J.G., Garol, H.W., and McCulloch, W.S.

Sensory cortex of chimpanzee, *J. Neurophysiol.*, 3 (1940) 469-485.

Bailey, P., Bonin, G.v., Garol, H.W., and McCulloch, W.S.

Long association fibers in cerebral hemispheres of monkey and chimpanzee, *J. Neurophysiol.*, 6 (1943a) 129-134.

Bailey, P., Bonin, G.v., Garol, H.W., and McCulloch, W.S.

Functional organization of temporal lobe of monkey (*Macaca mulatta*) and chimpanzee (*Pan satyrus*). *J. Neurophysiol.*, 6 (1943b) 121-128.

Baizer, J.S., Ungerleider, L.G. and Desimone, R.

Organization of visual inputs to the inferior temporal and posterior parietal cortex in macaques, *J. Neurosci.* 11 (1991) 168-190.

Balaban, E., Teillet, M.-A., and LeDouarin, N.

Application of the quail-chick chimera system to the study of brain development and behavior, *Science* 241 (1988) 1339-1342.

Ban, T.

Cortical neurons projecting to the posterior part of the posterior temporal sulcus with particular reference to the posterior association area. An HRP study in the monkey, *Arch. Italien. Biol.* 124 (1986) 95-109.

伴 亨、川村光毅

サルの上側頭溝周囲皮質への求心性結合に関する HRP 法による研究、解剖学雑誌 59 (1984) 350.

Ban, T., Shiwa, T., and Kawamura, K.

Corticocortical projections from the prefrontal cortex to the superior temporal sulcal area (STs) in the monkey studied by means of HRP method, *Arch. Italien. Biol.* 129 (1991) 259-272.

Bargiello, T.A., Jackson, F.R. and Young, M.W.

Restoration of circadian behavioral rhythms by gene transfer in *Drosophila*, *Nature* 312 (1984) 752-754.

Baron-Cohen, S., Leslie, A., and Frith, U.

Does the autistic child have a “theory of mind” ?, *Cognition* 21 (1985) 37-46.

Baylis, G.C., and Driver, J.

Shape-coding in IT cells generalizes over contrast and mirror reversal, but not figure-ground reversal, *Nature Neurosci.* 4 (2001) 937-942.

Beck, C.H., and Fibiger, H.C.

Conditioned fear-induced changes in behavior and in the expression of the immediate early gene c-fos: with and without diazepam pretreatment, *J. Neurosci.* 15 (1995) 709-720.

Belin, P., McAdams, S., Smith, B., Savel, S., Thivard, L., Samson, S., and Samson, Y.

The functional anatomy of sound intensity discrimination, *J. Neurosci.* 18 (1998a) 6388-6394.

Belin, P., Zilbovicius, M., Crozier, S., Thivard, L., Fontaine, A., Masure, M.-C., and Samson, Y.

Lateralization of speech and auditory temporal processing, *J. Cognitive Neurosci.* 10 (1998b) 536-540.

Belin と Zatorre(p. 965-966) と Romanski ら (p. 966) との討論

In: *Nature Neurosci.* 3 (2000) 965-966.

Beninato, M., and Spencer, R.F.

A cholinergic projection to the rat superior colliculus demonstrated by retrograde transport of horseradish peroxidase and choline acetyltransferase immunohistochemistry, *J. Comp.Neurol.* 253 (1986) 525-523.

Bickford-Wimer, P.C., Nagamoto, H.T., Johnson, R., Adler L.E., Egan M., Rose G.M., and Freedman R.

Auditory sensory gating in hippocampal neurons ; A model system in the rat, *Biol. Psychiat.* 27 (1990) 183-192.

Bittencourt, J.C., Presse, F., Arias, C., Peto, C., Vaughan, J., Nahon, J.-L., Vale, W., and Sawchenko, P.E.

The melanin-concentrating hormone system of the rat brain: an immuneo- and hybridization histochemical characterization, *J. comp.neurol.* 319 (1992) 218-245.

Blakemore, S.J., Frith, C.D., and Wolpert, D.M.

The cerebellum is involved in predicting the sensory consequences of action, *Neuroreport* 12 (2001) 1879-1884.

Bloomfield, L.

Language, 1933 (Henry Holt and Co., N.Y.) and 1935 (George Allen and Unwin Ltd., London), 言語、服部四郎、三宅鴻、日野資純訳、1962/1963, 大修館書店

Bonin, G. von, and Bailey, P.

The Neocortex of Macaca murata, University Illinois Press, Urbana, 1941.

Botvinick, M.M., Cohen, J.D., and Carter, C.S.

Conflict monitoring and anterior cingulate cortex: an update, *Trends Cogn. Sci.* 8 (2004) 539-546.

Botvinick, M., Nystrom, L.E., Fissell, K., Carter, C.S., and Cohen, J.D.

Conflict monitoring versus selection-for-action in anterior cingulate cortex, Nature 402 (1999) 179-181.

Braff, D.L.

Sensory input deficits and negative symptoms in schizophrenic patients, Amer. J. Psychiat. 146 (1989) 1006-1011.

Breitmeyer, B.G.

Visual Masking: An integrative approach. (1984) New York: Oxford University Press.

Bremer, F.

Cerveau "isolé" et physiologie du sommeil, C. R. Soc. Biol. (Paris) 118 (1935) 1235-1241.

Brodal, A.

The hippocampus and the sense of smell. A review, Brain 70 (1947) 179-222.

Brodal, A.

Neurological Anatomy in Relation to Clinical Medicine 3rd.Ed. New York Oxford, Oxford Univ. Press, 1981

Brodal, A., and Kawamura, K.

Olivocerebellar projection: a review, Adv. Anat. Embryol. Cell Biol. 64 (1980) 1-140.

Brodal, P.

Principles of organization of the monkey corticopontine projection, Brain Res. 148 (1978a) 214-218.

Brodal, P.

The corticopontine projection in the rhesus monkey. Origin and principles of organization, Brain 101 (1978b) 251-283.

Brodal, P.

The pontocerebellar projection in the rhesus monkey: An experimental study with retrograde transport of horseradish peroxidase, Neuroscience 4 (1979) 193-208.

Brodmann, K.

Vergleichende Lokalisationslehre der Grosshirnrinde, J.A. Barth, Leipzig, 1909.

Brown, G.L., and Goodwin, F.K.

Cerebrospinal fluid correlates of suicide attempts and aggression, Ann. NY Acad. Sci. 487 (1986) 175-188.

Bruce, C., Desimone, R., and Gross, G.G.

Visual properties of neurons in a polysensory area in superior temporal sulcus of the macaque, J. Neurophysiol. 46 (1981) 369-384.

Buckner, R.L.

Functional-anatomical correlates of control processes in memory, J.Neurosci. 23 (2003) 3999-4004.

Burton, C.J.

The Neuropathology of Temporal Lobe Epilepsy, Oxford Univ. Press, Oxford, 1988.

Bush, G., Vogt, B.A., Holmes, J., Dale, A.M., Greve, D., Jenike, M.A., and Rosen, B.R.

Dorsal anterior cingulate cortex: a role in reward-based decision making, Proc. Natl. Acad. Sci. USA 99 (2002) 523-528.

Bushara, K.O., Hanakawa, T., Immisch, I., Toma, K., Kansaku, K., and Hallett, M.

Neural correlates of cross-modal binding, Nature Neurosci. 6 (2003) 190-195.

Bushara, K.O., Weeks, R.A., Ishii, K., Catalan, M.-J., Tian, B., Rauschecker, J.P., and Hallett, M.

Modality-specific frontal and parietal areas for auditory and visual localization in humans, Nature Neurosci. 2 (1999) 759-766.

Byne, W., Buchsbaum, M.S., Kemether, E., Hazlett, E.A., Shinwar, A., Mitropoulou, V., and Siever, L.J.

Magnetic resonance imaging of the thalamic mediodorsal nucleus and pulvinar in schizophrenia and schizotypal personality disorder, Arch. Gen. Psychiat. 58 (2001) 133-140.

Byne, W., Buchsbaum, M.S., Mattiace, L.A., Hazlett, E.A., Kemether, E., Elhakem, S.L., Purohit, D.P., Haroutunian, V., and Jones, L.

Postmortem assessment of thalamic nuclear volumes in subjects with schizophrenia, Am. J. Psychiat. 159 (2002) 59-65.

Calvert, G.A., Bullmore, E.T., Brammer, M.J., Campbell, R., Williams, S.C.R., McGuire, P.K., Woodruff, P.W.R., Iversen, S.D., and David, A.S.

Activation of auditory cortex during silent lipreading, Science 276 (1997) 593-596.

Caramazza, A., Chialant, D., Capasso, R., and Miceli, G.

Separable processing of consonants and vowels, Nature 403 (2000) 428-430.

Carlsson, A., and Carlsson, L.

Hjarnans budbarare, Stockholm, 1988. (檜林博太郎、飯塚禮二訳 脳のメッセージー、医学書院、東京、1993)

Catani, M., Howard, r.j., Pajevic, S., and Jones, D.K

Virtual *in vivo* interactive dissection of white matter fasciculi in the human brain, NeuroImage 17 (2002) 77-94.

Catani, M., Jones, D.K., Donato, R., and Ffytche, D.H.

Occipito-temporal connections in the human brain, Brain 126 (2003) 2093-2107.

Cavada, C., Company, T., Yejedor, J., Cruz-Rizzolo, R.J., and Reinoso-Suarez, F.

The anatomical connections of the macaque monkey orbitofrontal cortex, Cerebral Cortex 10 (2000) 220-242.

Chavis, D.A., and Pandya,D.N.

Further observations on corticofrontal connections in the rhesus monkey, Brain Res. 117 (1976) 369-

386.

Civitareale, D., Lonigro, R., Sinclair, A. J., and DiLauro, R.

A thyroid-specific nuclear protein essential for tissue-specific expression of the thyroglobulin promoter, EMBO J. 8 (1989) 2537-2541.

Clemenz, B.A., Blumenfeld, L.D., and Cobb, S.

The gamma band responses may account for poor p50 suppression in schizophrenia, Neuroreport 8 (1997) 3889-3893.

Cohen, J.D., Botvinick, M., and Carter, C.S.

Anterior cingulate and prefrontal cortex: who's in control? , Nature neurosci. 3 (2000) 421-423.

Cohen, M.X., Heller, A.S., and Ranganath, C.

Functional connectivity with anterior cingulate and orbitofrontal cortices during decision-makings, Brain Res. Cogn. Brain Res. 23 (2005) 61-70.

Cole, A.J., Saffen, D.W., Baraban, J.M., and Worley, P.F.

Rapid increase of an immediate early gene messenger RNA in hippocampal neurons by synaptic NMDA receptor activation, Nature 340 (1989) 474-476.

Concha, M.L., Burdine, R.D., Russell, C., Schier, A.F., and Wilson, S.W.

A nodal signaling pathway regulates the laterality of neuroanatomical asymmetries in the zebrafish forebrain, Neuron 28 (2000) 399-409.

Concha, M.L. and Wilson, S.W.

Asymmetry in the epithalamus of vertebrates, J. Anat. 199 (2001) 63-84.

Cooke, B., Hegstrom, C.D., Villeneuve, L.S., and Breedlove, S.M.

Sexual differentiation of the vertebrate brain : Principles and Mechanisms, Front Neuroendocrinol. 19 (1998) 323-362.

Critchley, H., Daly, E., Phillips, M., Brammer, M., Bullmore, E., Williams, S., Amelsvoort, T.V., Robertson, D., David, A., and Murphy, D.

Explicit and implicit neural mechanisms for processing of social information from facial expressions: a functional magnetic resonance imaging study, Human Brain Mapping 9 (2000) 93-105.

Crow, T.J.

Molecular pathology of schizophrenia : more than one disease process ? Brit. Med. J. 12 (1980) 66-68.

Crow, T.J.

Language and psychosis : common evolutionary origins, Endevor 20 (1996) 105-109.

Cummings, J.L.

Frontal-subcortical circuits and human behavior, Adv.Neurol. 50 (1993) 873-880.

- Cummings, J.L.
Anatomical and behavioral aspects of frontal-subcortical circuits, Ann. N. Y. Acad. Sci. 769 (1995) 1-13.
- Dalton, P., Doolittle, N., Nagata, H., and Breslin, P.A.S.
The merging of the senses: integration of subthreshold taste and smell, Nature Neurosci. 3 (2000) 431-432.
- Darwin, C.
On the Origin of Species by Means of Natural Selection or the Preservation of Favoured Races in the Struggle for Life, 1859, 種の起源、八杉龍一訳、岩波書店、1990.
- Desimone, R., and Schein, S.
Visual properties of neurons in area V4 of the macaque: sensitivity to stimulus form, J. Neurophysiol. 57 (1987) 835-868.
- Desimone, R., Schein S.J., Moran, J., and Ungerleider, L.G.
Contour, color and shape analysis beyond the striate cortex, Vision Res. 25 (1985) 441-452.
- Dierks, T., Linde, D.E.J., Jandl, M., Formisano, E., Goebel, R., Lanfermann, H., and Singer, W.
Activation of Heschl's gyrus during auditory hallucination, Neuron 22 (1999) 615-621.
- Dino, M.R., Schuerger, R.J., Liu, Y., Slater, N.T., and Mugnaini, E.
Unipolar brush cell: a potential feedforward excitatory interneuron of the cerebellum, Neuroscience 98 (2000) 625-636.
- 土井泰次郎、藤田一郎
形状知覚と物体認識における側頭葉視覚連合野の役割、神經進歩 48 (2004) 176-185.
- Doya, K.
What are the computations of the cerebellum, the basal ganglia and the cerebral cortex ? Neural Networks 12 (1999) 961-974.
- 銅谷賢治、川人光男、春野雅彦
小脳、大脳基底核、大脳皮質の機能分化と統合、科学 70 (2000) 740-749.
- Drevets, W.C., Viden, T.O., Price, J.L., Preskorn, S.H., Carmichael, S.T., and Raichle, M.E.
A functional anatomical study of unipolar depression, J. Neurosci. 12 (1992) 3628-3641.
- Dronkers, N.F.
A new brain region for coordinating speech articulation, Nature 384 (1996) 159-161.
- Dueck, C.A., Manore, M.M., and Matt, K.S.
Role of energy balance in athletic menstrual dysfunction, Int. J. Sport Nutr. 6 (1996) 165-190.
- Duhamel, J.R., colby, C.L., and Goldberg, M.E.

Ventral intraparietal area of the macaque: congruent visual and somatic response properties, J.Neurophysiol. 79 (1998) 126-136.

Dunlap, J.C.

Molecular bases for circadian clocks, Cell 96 (1999) 271-290.

Economou, C. von

Theorie du sommeil, J. Neurol. Psychiat. (Brux.) 28 (1928) 437-464.

Efron, R.

Conversation of temporal information by perceptual systems, Perception & Psychophysics 14 (1973) 518-530.

Eifuku, S., Nishijo, H., Kita, T., Ono, T.

Neural activity in the primate hippocampal formation during a conditional association task based on the subject's location, J. Neurosci. 15 (1995) 4952-4969.

永福智志、小野武年

サルの情動と学習・記憶の脳内システム、Brain Medical 13 (2001) 361-369.

Elbert, T., and Keil, A.

Imaging in the fourth dimension, Nature 404 (2000) 29-31.

Embrick, D., Marantz, A., Miyashita, Y., O'Neil, W., and Sakai, K.L.

A syntactic specialization for Broca's area, ProcNAS 97 (2000c) 6150-6154.

Engelberg, H.

Low serum cholesterol and suicide, Lancet 339 (1992) 727-729.

Engels, F.

猿が人間になるについての労働の役割. 大月書店編集部編. In: Neue Zeit (1896)、1876 年執筆

Eriksson, P. S., Perfilieva, E., Björk-Eriksson, T., Alborn, A-M., Nordborg, C., Peterson, D. A., and Gage, F H

Neurogenesis in the adult human hippocampus, Nature Med. 4 (1998) 1313 – 1317.

Esquirol, E.

Des maladies mentales considérées sous le rapport médical, hygiénique et médico-légal, J.B. Baillière, Paris, 1938, 2 vol.

Evarts, E.V., and Thach, W.T.

Motor mechanism of the CNS: cerebrocerebellar interactions, Ann. Rev. Physiol. 31 (1969) 451-494.

Ey, H.

Des idées de Jackson à un modèle organo-dynamique en psychiatrie, Edouard Privat, Editeur

- Toulouse, 1975, 大橋博司ら訳:ジャクソンと精神医学、みすず書房、1979.
- Fagiolini, M., Fritschy, J.-M., Löw, K., Möhler, H., Rudolph, U., and Hensch, T.K.
Specific GABA_A circuits for visual cortical plasticity, *Science* 303 (2004) 1681-1683.
- Falck, B., Hillarp, N.A., Thieme, G., and Thorpe, A.
Fluorescence of catecholamines and related compound condensed with formaldehyde, *J. Histochem. Cytochem.* 10 (1962) 348-354.
- Farah, M.J., and Aguirre, G.K.
Imaging visual recognition: PET and fMRI studies of the functional anatomy of human visual recognition, *Trends Cogn. Sci.* 3 (1999) 179-186.
- Felleman, D.J., and Van Essen, D.C.
Distributed hierarchical processing in the primate cerebral cortex, *Cereb. Cortex* 1 (1991) 1-47.
- Fiez, J.A.
Cerebellar contributions to cognition, *Neuron* 16 (1996) 13-15.
- Finney, E.M., Fine, I., and Dobkins, K.R.
Visual stimuli activate auditory cortex in the deaf, *Nature Neurosci.* 4 (2001) 1171-1173.
- Fiorino, D.F., and Phillips, A.G.
Facilitation of sexual behavior and dopamine efflux in the nucleus accumbens of male rats after D-amphetamine-induced behavioral sensitization, *J. Neurosci.* 19 (1999) 456-463.
- Flor-Henry, P.
Schizophrenic-like reactions and affective psychoses associated with temporal lobe epilepsy : etiological factors, *Amer. J. Psychiatr.* 126 (1969a) 400-404.
- Flor-Henry, P.
Psychosis and temporal lobe epilepsy : A controlled investigation, *Epilepsia* 10 (1969b) 363-395.
- Flynn, F.G., Benson, D.F., and Ardila, A.
Anatomy of the insula—functional and clinical correlates, *Aphsiology* 13 (1999) 55-78.
- Fox, C.A., and Barnard, J.W.
A quantitative study of the Purkinje cell denritic branchlets and their relationship to afferent fibres, *J. Anat. (Lond.)* 91 (1957) 299-313.
- Freedman, D.J., Riesenhuber, M., Poggio, T., and Miller, E.K.
Categorical representation of visual stimuli in the primate prefrontal cortex, *Science* 291 (2001) 312-316.
- Friedman, H.R., and Goldman-Rakic, P.S.
Coactivation of prefrontal cortex and inferior parietal cortex in working memory tasks revealed by 2DG functional mapping in the rhesus monkey, *J. Neurosci.* 14 (1994) 2775-2788.

Friedman, J.M. and Halaas, J.L.

Leptin and the regulation of body weight in mammals, Nature 395 (1998) 763-770.

Fujiyama, K., Kajii, Y., Hiraoka, S., and Nishikawa, T.

Differential regulation by stimulants of neocortical expression of *mrt 1*, *arc*, and *homer 1a* mRNA in the rats treated with repeated methamphetamine, Synapse 49 (2003) 143-149.

福田淳、佐藤宏道

脳と視覚—何をどう見るか、共立出版、2002,

船橋新太郎

前頭連合野とワーキングメモリ、神経進歩 45 (2001) 223-234.

船橋新太郎

ワーキングメモリの神経回路、In: 松本元・小野武年編：情と意の脳科学—人とは何か—. 培風館, (2002) 68-89.

Fuster, J.M.

Temporal processing, Ann. N. Y. Acad. Sci. 769 (1995) 173-181.

Fuster, J.M.

The Prefrontal cortex: Anatomy, Physiology, and Neuropsychology of the Frontal Lobe, 3rd ed. Lippincott-Rave, New York, 1997.

Fuster, J.M.

Executive frontal functions, Exp. Brain Res. 133 (2000) 66-70.

Fuster, J.M., Bodner, M., and Kroger, J.K.

Cross-modal and cross-temporal association in neurons of frontal cortex, Nature 405 (2000) 347-351.

Galuske, R.A.W., Schlote, W., Bratzke, H., and Singer, W.

Interhemispheric asymmetries of the modular structure in human temporal cortex, Science 289 (2000) 1946-1949.

Gao, J.-H., Parsons, L.M., Bower, J.M., Xiong, J., Li, J., and Fox, P.T.

Cerebellum implicated in sensory acquisition and discrimination rather than motor control, Science 271 (1996) 545-547.

Garcia-Castro, M.I., vielmetter, E., and bonner-Fraser, M.

N-Cadherin, a cell adhesion molecule involved in establishment of embryonic left-right asymmetry, Science 288 (2000) 1047-1051.

Gazzaniga, M.S., Bogen, J.E., and Sperry, R.W.

Observations on visual perception after disconnection of the cerebral hemispheres in man, Brain 88 (1965) 221-236.

Gazzaniga, M.S., and LeDoux, J.E.
The Integrated Mind, Plenum Press, New York, 1978 ('二つの脳と一つのこころー左右の半球と認知'、柏原恵龍他 訳、ミネルヴア書房、1980)

Gazzaniga, M.S., and Sperry, R.W.
Language after section of the cerebral commissures, Brain 90 (1967) 131-148.

Gehring, W.J., and Knight, R.T.
Prefrontal-cingulate interactions in action monitoring, Nature neurosci. 3 (2000) 516-520.

Gemba, H., Miki, N., and Sasaki, K.
Cortical field potentials preceding vocalization and influences of cerebellar hemispherectomy upon them in monkeys, Brain Res. 697 (1995) 143-151.

Gemba, H., Miki, N., and Sasaki, K.
Cortical field potentials preceding vocalization in monkeys, Acta Otolaryngol. Suppl. 532 (1997) 96-98.

Geschwind, N.
Specializations of the human brain, Scientific Amer. 241 (1979) 180-199.

Geschwind, N., and Levitsky, W.
Human brain: left-right asymmetries in temporal speech region, Science 161(1968) 186-187.

Geyer, S.
The microstructural border between the motor and the cognitive domain in the human cerebral cortex, Adv. Anat. Embryol. Cell Biol. 174 (2004) 1-92.

Gloor, P.
The Temporal Lobe and Limbic System, Oxford Univ. Press, New York, Oxford, 1997.

Goddard, G.V., McIntyre, D.C., and Leech, C.K.
A permanent change in brain function resulting from daily electrical stimulation, Exp. Neurol. 25 (1969) 295-330

Gold, B.T., and Buckner, R.L.
Common prefrontal regions coactivate with dissociable posterior regions during controlled semantic and phonological tasks, Neuron 35 (2002) 803-812.

Goldman-Rakic, P. S.
Topography of cognition: parallel distribution networks in primate association cortex, Ann. Rev. Neurosci. 11 (1988) 137-156.

Goldman-Rakic, P. S.
Working memory and the mind, Scient. Amer., (1992) 110-117.

Goldman-Rakic, P. S.

The prefrontal landscape: implications of functional architecture for understanding human mentation and the central executive, Philos. Trans.R.Soc.London Ser.B 351 (1996) 1445-1453.

Goldman-Rakic, P. S., Selemon, L.D., and Schwartz, M.L.

Dual pathways connecting the dorsolateral prefrontal cortex with the hippocampal formation and parahippocampal cortex in the rhesus monkey, Neuroscience 12 (1984) 719-743.

Gonzalo-Ruiz, A., Alonso, A., Sanz, J.M., and Llinas, R.R.

Afferent projections to the mammillary complex of the rat, with special reference to those from surrounding hypothalamic regions, J. Comp. Neurol. 321 (1992) 277-299.

Gonzalo-Ruiz, A., Morte, L., Flecha, J.M., and Sanz, J.M.

Neurotransmitter characteristics of neurons projecting to the supramammillary nucleus of the rat, Anat. Embryol. 200 (1999) 377-392.

Goodale, M.A., and Milner, A.D.

Separate visual pathways for perception and action, Trends Neurosci. 15 (1992) 20-25.

Gorski,R.A., Gordon, J.H., Shryne, J.E., and Southam,A.M.

Evidence for a morphological sex difference within the medial preoptic area of the rat brain, Brain Res. 862 (1978) 333-346.

Grant, L.D., Coscina, D.V., Grossman, S.P., and Freedman, D.X.

Suicide after serotonin depleting lesions of midbrain raphe nuclei, Pharm. Biochem. Behav. 1 (1973) 77-80.

Graybiel, A.M.

The basal ganglia and cognitive pattern generators, Schizophrenia Bulletin 23 (1997) 459-469.

Green, M.F., Nuechterlein, K.H., Breitmeyer, B., and Mintz, J.

Backward masking in unmedicated schizophrenic patients in psychotic remission: possible reflection of aberrant cortical oscillation, Amer. J. Psychiat. 156 (1999) 1367-1373.

Groenewegen, H.J., and Voogd, J.

The parasagittal zonation within the olivocerebellar projection. I. Climbing fiber distribution in the vermis of cat cerebellum, J. comp.Neural. 174 (1977) 417-488.

Groenewegen, H.J., Voogd, J. and Freedman, S.L.

The parasagittal zonal organization within the olivocerebellar projection. II. Climbing fiber distribution in the intermediate and hemispheric parts of cat cerebellum, J. comp. Neurol. 183 (1979) 551-602.

Guazzi, S., Price, M., DeFelice M., Damante, G., Mattei, M.-G. and DiLauro, R.

Thyroid nuclear factor 1 (TTF) contains a homeodomain and displays a novel DNA binding specificity, EMBO J. 9 (1990) 3631-3639.

Gupta, A., Wang, Y., and Markram, H.

Organizing principles for a diversity of GABAergic interneurons and synapses in the neocortex, Science 287 (2000) 273-278.

Gutfreud, Y., Zheng, W., and Knudsen, E.I.

Gated visual input to the central auditory system, Science 297 (2002) 1556-1559.

Hackett, T.A. Stepniewska, I., and Kaas, J.H.

Subdivisions of auditory cortex and ipsilateral cortical connections of the parabelt auditory cortex in the macaque monkeys, J. Comp.Neurol. 394 (1998) 475-495.

Haines, D.E., Dietrichs, E., and Sowa, T.E.

Hypothalamo-cerebellar and cerebello-hypothalamic pathways: a review and hypothesis concerning cerebellar circuits which may influence autonomic centers and affective behavior, Brain Behav. Evol. 24 (1984) 198-220.

Hampson, M., Peterson, B.S., Skudlarski, P., Gatenby, J.C., and Gore, J.C.

Detection of functional connectivity using temporal correlations in MR images, Human Brain Mapping 15 (2002) 247-262.

Harris,G.W.

Neural control of the pituitary gland, Physiol. Rev. 28 (1948) 139-179.

Hasegawa, I., Fukushima, T., Ihara, I., and Miyashita, Y.

Callosal window between prefrontal cortices : cognitive interaction to retrieve long-term memory, Science 281 (1998) 814-818.

Hasegawa, I., Hayashi, T., and Miyashita,Y.

Memory retrieval under the control of the prefrontal cortex, Ann. Med. 31 (1999) 380-387.

端川勉

靈長類の聴覚野と聴覚関連皮質、神経進歩 46 (2002) 79-90.

Hashimoto, R., Homae, F., Nakajima, K., Miyashita, Y., and Sakai, K.L.

Functional differentiation in the human auditory and language areas revealed by a dichotic listening task, Neuroimage 12 (2000d) 147-158.

Hashimoto, R., and Sakai, K.L.

Specialization in the left prefrontal cortex for sentence comprehension, Neuron 35 (2002b) 589-597.

Haxby, J.V., Hoffman, E.A., and Gobbini, M.I.

The distributed human neural system for face perception, Trends Cogn.Sci. 4 (2000) 223-233.

Hayashi, M., Ito, M., and Shimizu, K.

The spindle neurons are present in the cingulate cortex of chimpanzee fetus, Neurosci. Lett. 309 (2001) 97-100.

He, J., Hashikawa T., Ojima, H., and Kinouchi, Y.
Temporal integration and duration tuning in the dorsal zone of cat auditory cortex, *J. Neurosci.* 17 (1997) 2615-2625.

Hebb, D.O.
The Organization of Behavior, Wiley & Sons, New York, 1949.

Heidary, H., and Tomasch, J.
Neuron numbers and perikaryon areas in the human cerebellar nuclei, *Acta Anat. (Basel)* 74 (1969) 290-296.

Heisler, L.K., Cowley, M.A., Tecott, L.H., Fan, W., Low, M.J., Smart, J.L., Rubinstein, M., TatroJ.B., Marcus, J.N., Holstege, H., Lee, C.E., Cone R.D., and Emquist, J.K.
Activation of central melanocortin pathways by fenfluramine, *Science* 297 (2002) 609-611.

Hensch, T.K., and Stryker, M.P.
Columnar architecture sculpted by GABA circuits in developing cat visual cortex, *Science* 303 (2004) 1678-1681.

彦坂興秀
運動制御における小脳の役割—最近の進歩、神経進歩 44(2000) 974-982.

彦坂興秀、山鳥重、河村満
眼と精神、医学書院、2003.

Hikosaka, O., Nakahara, H., Rand M.K., Sakai, K., Lu, X., Nakamura, K., Miyachi, S., and Doya, K.
Parallel neural networks for learning sequential procedures, *Trends Neurosci.* 10 (1999) 464-471.

Hikosaka, O., Takikawa, Y., and Kawagoe, R.
Role of basal ganglia in the control of purposive saccadic eye movements, *Physiol. Reviews* 80 (2000) 953-978.

Hikosaka, O., and WurtzR.H.
Modification of saccadic eye movements by GABA-related substances, I; Effect of muscimol and bicuculline in the monkey superior colliculus, *J. Neurophysiol.* 53 (1985a) 266-291.

Hikosaka, O., and WurtzR.H.
Modification of saccadic eye movements by GABA-related substances, II; Effects of muscimol in the monkey substantia nigra pars reticulata, *J. Neurophysiol.* 53 (1985b) 292-308.

Hirai, T., Onodeara, S., and Kawamura, K.
Cerebellotectal projections studied in cats with horseradish peroxidase or tritiated amino acids axonal transports, *Exp. Brain Res.* 48 (1982) 1-12.

Hirayasu, Y., McCarley, R.W., Salisbury, D.F., Tanaka, S., Kwon, J.S., Frumin, M., Snyderman, D., Yurgelun-Todd, D., Kikinis, R., Jolesz, F.A., and Shenton, M.E.
Planum temporale and Heschl gyrus volume reduction in schizophrenia, *Arch. Gen. Psychiat.* 57 (2000) 692-699.

Hisano, S., Kagotani, Y., Tsuruo, Y., Daikoku, S., Chihara, K., and Whitnall, M.H.

Localization of glucocorticoid receptor in neuropeptide Y-containing neurons in the arcuate nucleus of the rat hypothalamus, *Neurosci. Lett.* 95 (1988) 13-18.

Hobson, J.A., and McCarley, R.W.

The brain as a dream state generator: An activation-synthesis hypothesis of the dream process, *Amer. J. Psychiat.* 134 (1977) 1335-1348.

Hollerman, J.R. and Schultz, W.

Dopamine neurons report an error in the temporal prediction of reward during learning, *Nature Neurosci.* 1 (1998) 304-309.

Holroyd, C.B., Nieuwenhuis, S., Yeung, N., Nystrom, L., Mars, R.B., Coles, M.G.H., and Cohen, J.D.

Dorsal anterior cingulate cortex shows fMRI response to internal and external error signals, *Nat Rev Neurosci.* 7 (2004) 497-498.

Homae, F., Hashimoto, R., Nakajima, K., Miyashita, Y., and Sakai, K.

From perception to sentence comprehension: the convergence of auditory and visual information of language in the left frontal cortex, *NeuroImage* 16 (2002) 883-900.

本多祥子、石崎典生

海馬体から嗅内野への出力路、神経進歩 45 (2001) 297-311.

Hoshi, E., and Tanji, J.

Contrasting neuronal activity in the dorsal and ventral premotor areas during preparation to reach, *J. Neurophysiol.* 87 (2002) 1123-1128.

Hoshi, E., and Tanji, J.

Functional specialization in dorasal and ventral premotor areas, *Prog. Brain Res.* 143 (2004) 507-511.

Hoshi, E., Tremblay, L., Feger, J., Carreras, P.L., and Strick, P.L.

The cerebellum communicates with the basal ganglia, *Nature Neurosci.* (2005, Oct 2) Advance online pub. 1-3.

Hoshiyama, M., Gunji, A., and Kakigi, R.

Hearing the sound of silence : A magnetoencephalographic study, *Neuroreort* 12 (2001) 1097-1102.

Hubel, D.H., and Wiesel, T.N.

Receptive fields, binocular interaction and functional architecture in the cat's visual cortex, *J. Physiol. (Lond.)* 160 (1962) 106-154.

Hubel, D.H., and Wiesel, T.N.

Receptive fields and functional architecture in two non-striate visual areas (18 and 19) of the cat, *J. Neurophysiol.* 28 (1965) 229-289.

Hubel, D.H., and Wiesel, T.N.

Receptive fields and functional architecture of monkey striate cortex, *J. Physiol. (Lond.)* 195 (1968) 215-243.

- Hubel, D.H., and Wiesel, T.N.
Anatomical demonstration of columns in the monkey striate cortex, *Nature* 221 (1969) 747-750.
- Hubel, D.H., and Wiesel, TN.
The period of susceptibility to the physiological effects of unilateral eye closure in kittens, *J Physiol.* 1970 (206) 419-436.
- Hyvaerinen, J., and Poranen, A.
Function of the parietal association area 7 as revealed from cellular discharges in alert monkeys, *Brain* 97 (1974) 673-692.
- Ichimiya, T., Okubo, Y., Suhara, T., and Sudo, Y.
Reduced volume of the cerebellar vermis in neuroleptic-naïve schizophrenia, *Biol. Psychiat.* 49 (2001) 20-27.
- Ichinohe, N., Mori, F., and Schoumura, K.
A di-synaptic projection from the lateral cerebellar nucleus to the laterodorsal part of the striatum via the central lateral nucleus of the thalamus in the rat, *Brain Res.* 880 (2000) 191-197.
- Ichisaka, S., Katoh-Semba, R., Hata, Y., Ohsima, M., Kameyama, K., and Tsumoto, T. Activity-dependent changes in the protein level of brain-derived neurotrophic factor but no change in other neurotrophins in the visual cortex of young and adult ferrets, *Neuroscience* 117 (2003) 361-371.
- Ilinsky, I.A., and Kultas-Ilinsky, K.
An autoradiographic study of topographical relationships between pallidal and cerebellar projections to the cat thalamus, *Exp. Brain Res.* 54 (1984) 95-106.
- Imamizu, H., Miyauchi, S., Tamada, T., Sasaki, Y., Takino, R., Putz, B., Yoshioka, T., and Kawato, M.
Human cerebellar activity reflecting an acquired internal model of a new tool, *Nature* 403 (2000) 192-195.
- 伊佐正
上丘へのコリン作動性投射の生理学的役割、*Brain Medical* 11(1999) 27-33.
- Isgor, C., Cecchi, M., Kabbaj, M., Akil, H., and Watson, S.J.
Estrogen receptor beta in the paraventricular nucleus of hypothalamus regulates the neuroendocrine response to stress and is regulated by corticosterone, *Neuroscience* 121 (2003) 837-845.
- Ishihara, T., and Yoshii, N.
Multivariate analytic study of EEG and Mental activity in Juvenile delinquents, *Electroenceph. and clin. Neurophysiol.* 33 (1972) 71-80.
- 石塚典生
大脳辺縁系の細胞構築と神経結合、 p.26-p.45, In: 情と意の脳科学－人とは何か、pp.321, 松本元、小野武年(編), 2002, 培風館

Itami. C., Kimura, F., Kohno, T., Matsuoka, M., Ichikawa, M., Tsumoto, T., and Nakamura, S. Brain-derived neurotrophic factor-dependent unmasking of "silent" synapses in the developing mouse barrel cortex, Proc Natl Acad Sci USA. 100(2003) 13069-13074.

伊藤正男
脳の設計図、1980、中央公論社

伊藤正男
脳の不思議、岩波 科学ライブラリー、1998、岩波書店

Ito, M.
Neurophysiological aspects of the cerebellar motor control system, Intn. J. Neurol. 7 (1970) 162-176.

Ito, M.
The Cerebellum and Neural Control, 1984, Raven Press.

Ito, M.
Movement and thought: Identical control mechanisms by the cerebellum, TrenNeurosci. 16 (1993) 448-450.

Ito, M.
Cerebellar microcomplexes, Intern. Review Neurobiol. 41 (1997) 475-487.

Ito, M.
Consciousness from the viewpoint of the structural-functional relationships of the brain, Intern.J. Psychol. 33 (1998) 191-197.

Ito, M.
Internal model visualized, Nature 403 (2000) 153-154.

Ito, M.
Neural control of cognition and language, In: Image, Language and Brain, Maranz, A., Miyashita, Y., and O'Neil, W. Eds., Cambridge, MA: MIT Press, 2001a, p.149-162.

Ito, M.
Cerebellar long-term depression : characterization, signal transduction, and functional roles. Physiol. Review 81 (2001b) 1143-1195.

Ito, M.
The molecular organization of cerebellar long-term depression, Nature review/ Neurosci. 3 (2002a) 896-902.

Ito, M.
Controller-regulator model of the central nervous system, J. Integ. Neurosci. 2 (2002b) in press

伊藤正男、祖父江逸郎、小松崎篤、広瀬源二郎(編)
小脳の神経学、1986、医学書院

伊藤真次
ヒトと日周リズム—生理機能における環境の影響— 1977 共立出版

Ivanova, A., and Yuasa, S.
Neural migration and differentiation in the development of the mouse dorsal cochlear nucleus, Dev. Neurosci. 20 (1998) 498-511.

岩井栄一
脳—学習・記憶のメカニズム、1984 朝倉書店

Jackson, J.H.
Selected Writings of John Hughlings Jackson, Vols. 1 & 2 , ed. by J. Taylor (1931,32) , esp. 「脳の二元性(duality)の性質について、(1874)」、「神経系の進化と退化、2 (1884) 45-75」、「精神病の諸要素、2 (1894)411-420」

Jarvis, E.D., Gunturkun, O., Bruce, L., Csillag, A., Karten, H., Kuenzel, W., Medina, L., Paxinos, G., Perkel, D.J., Shimizu, T., Striedter, G., Wild, J.M., Ball, G.F., Dugas-Ford, J., Durand, S.E., Hough, G.E., Husband, S., Kubikova, L., Lee, D.W., Mello, C.V., Powers, A., Siang, C., Smulders, T.V., Wada, K., White, S.A., Yamamoto, K., Yu, J., Reiner, A., and Butler, A.B. (Avian Brain Nomenclature Consortium)

Avian brains and a new understanding of vertebrate brain evolution, Nature Review, Neuroscience 6 (2005) 151-159.

Johnson, E.N., Hawken, M.J., and Shapley, R.
The spatial transformation of color in the primary visual cortex of the macaque monkey, Nature Neurosci. 4 (2001) 409-416.

Jones, E.G., and Burton, H.
Areal differences in the laminar distribution of thalamic afferents in cortical fields of the insular, parietal and temporal regions of primates, J Comp. Neurol. 168 (1976) 197-248.

Jones, E.G., Coulter, J.D., Burton, H., and Porter, R.
Cells of origin and terminal distribution of corticostriatal fibers arising in the sensory-motor cortex of monkeys, J. comp. neurol. 173 (1977) 53-80.

Jones, E.G., Dell'Anna, M.E., Molinari, M., Rausell, E., and Hashikawa, T.
Subdivisions of macaque monkey auditory cortex revealed by calcium-binding protein immunoreactivity, J. Comp. Neurol. 362 (1995) 153-170.

Jones, E.G., and Powell, T.P.S.
An anatomical study of converging sensory pathways within the cerebral cortex of the monkey, Brain 93 (1970) 793-820.

- Jouvet, M.
Neurophysiology of the states of sleep, Physiol. Rev. 47 (1967) 117-177.
- Jouvet, M.
Biogenic amines and the state of sleep, Science 163 (1969) 32-41.
- Jouvet, M.
The role of monoamines and acetylcholine containing neurons in the regulation of the sleep-waking cycle, Ergeb. Physiol. 64 (1972) 166-307.
- Joyce, J.N., and Gurevich, E.V.,
D3 Receptors and the actions of neuroleptics in the ventral striatopallidal system of schizophrenics, Ann. N.Y. Acad.Sci. 877 (1999) 595-613.
- Kaan, E., and Swaab, T.Y.
The brain circuitry of syntactic comprehension, Trends in Cognit. Sci. 6 (2002) 350-356.
- Kaas, J.H., and Hackett, T.A.
'What' and 'where' processing in auditory cortex, Nature neurosci. 2 (1999) 1045-1047.
- Kaas, J.H., Hackett, T.A. and Tramo, M.J.
Auditory processing in primate cerebral cortex, Current Opinion in Nuerobiol. 9 (1999) 164-170.
- 香川雪彦、小山純正、高橋和巳
睡眠・覚醒の神経機構、最新医学 59 (2004) 409-414.
- Kahana, M.J., Sekuler, R., Caplan, J.B., Kirschen, M., and Madsen, J.R.
Human theta oscillations exhibit task dependence during virtual maze navigation, Nature 339 (1999) 781-784.
- Kajii, Y., Muraoka, S., Hiraoka, S., Fujiyama, K., Umino, A., and Nishikawa, T.
A developmentally regulated and psychostimulant-inducible novel rat gene *mrt 1* encoding PDZ-PX proteins isolated in the neocortex, Molecular Psychiatry (2003) in press.
- Kanwisher, N., McDermott, J., and Chun, M.M.
The fusiform face area: a module in human extrastriate cortex specialized for face perception, J. Neurosci., 17 (1997) 4302-4311.
- Kaplan, J.R., Maruck, S.B., and Shively, C.
The effects of fat and cholesterol on social behavior in monkey, Psychosom. Med. 53 (1991) 634-642.
- Kasai, K., Shenton, M.E., Salisbury, D.F., Hirayasu, Y., Lee, C.U., Ciszewski, A.A., Yurgelun-Todd, D., Kikinis, R., Jolesz, F.A., and McCarley, R.W.
Progressive decrease of left superior temporal gyrus gray matter volume in patients with first-episode schizophrenia, Amer. J. Psychiat. 160 (2003) 156-164.

加瀬学

神経眼科と眼球運動—20世紀の眼球運動研究はどこまで発展したか、神経眼科 19 (2002) 15-33.

鹿島晴雄

条件反射学、65頁—75頁、臨床精神医学ハンドブック、保崎、武正 編 1980、金原出版

加藤元一郎、鹿島晴雄

精神分裂病と認知機能障害—とくに前頭前野と文脈処理の障害について、Schizophrenia Frontier 3 (2002) 143-147.

Kawagoe, R., Takikawa, Y., and Hikosaka, O.

Expectation of reward modulates cognitive signals in the basal ganglia, Nat. Neurosci. 5 (1998) 411-416.

川口康雄

大脳皮質のGABA作動性神経回路、日本神経回路学会誌 5 (1998) 171-177.

Kawaguchi, Y., and Kubota, Y.

GABAergic cell subtypes and their synaptic connections in rat frontal cortex, Cerebral Cortex 7 (1997) 476-486.

川上泰彦

脊椎動物の左右非対称性形成機構、蛋白質 核酸 酵素、50 (2005) 1609-1619.

Kawakami, R., Shinohara, Y., Kato, Y., Sugiyama, H., Shigemoto, R., and Ito, I.

Asymmetrical allocation of NMDA receptor ϵ 2 subunits of single neurons, Science 300 (2003) 990-994.

川村浩、二本松伊都子

視交叉上核の移植、神經進歩 29 (1985) 71-82.

Kawamura, K.

Variations of the cerebral sulci in the cat, Anat. Rec. 80 (1971) 204-221.

Kawamura, K.

Corticocortical fiber connections of the cat cerebrum. I. The temporal region, Brain Res. 51 (1973a) 1-22.

Kawamura, K.

Corticocortical fiber connections of the cat cerebrum. II. The parietal region, Brain Res. 51 (1973b) 23-40.

Kawamura, K.

Corticocortical fiber connections of the cat cerebrum. III. The occipital region, Brain Res. 51 (1973c) 41-60.

川村光毅

連合野の線維結合(I)皮質間結合—サルとネコの皮質間結合の比較と"連合野"の発達について

ての試論—、神経研究の進歩 21(1977)1085-1101.

川村光毅

小脳の帶状構造とオリーブ小脳投射, 生体の科学 31 (1980) 139-148.

川村光毅

角回を中心とする皮質間線維連絡、失語症研究 2 (1981)13-19.

川村光毅

視蓋・小脳投射系を中心とする視覚運動および聴覚運動に関する考察、脳と神経 36 (1984) 1149-1158.

川村光毅

前頭葉の解剖学—前頭前野の皮質間結合を中心に—、精神医学 27 (1985) 611-617.

川村光毅

小脳の基礎—小脳の構造、In: 小脳の神経学 (伊藤、祖父江、小松崎、広瀬 編)、医学書院、(1986) 8-51.

川村光毅

連合野間の統合—I. 解剖、In: 新生理学大系(監修:勝木、内薦; 総編集:星、伊藤)、第一2巻: 高次脳機能の生理学(鈴木、酒田 編)、医学書院、(1988) 284-293.

川村光毅

認知機能についての機能解剖学的考察、In: 認知機能からみた精神分裂病、生物学的精神医学、Vol. 4.(小島、大熊編)、学会出版、(1993) 183-198.

川村光毅

神経情報の統合:条件反射と高次機能、In: 脳と神経—分子神経生物科学入門(金子章道、川村光毅、植村慶一 編)第3章—6、共立出版、(1999a) 284-296.

川村光毅

ロゴスとパトス、 アニテックス(Laboratory Animal Technology and Science) 11/3 (1999b) 12-18.

川村光毅

精神医学の基礎となる知識、脳の形態と機能—精神医学に関連して In: 精神医学テキスト(上島国利、立山萬里 編)南江堂、(2000) 12-29.

川村光毅

脳と精神/情動と音楽の周辺. In: 松本元・小野武年編 : 情と意の脳科学—人とは何か—. 培風館, (2002) 280-312.

Kawamura, K., Brodal, A., and Hoddevik, G.

The projection of the superior colliculus onto the reticular formation of the brain stem. An experimental anatomical study in the cat, Exp. Brain Res. 19 (1974) 1-19.

Kawamura K., and Hashikawa T.

Olivocerebellar projections in the cat studied by means of anterograde axonal transport of labeled amino acids as tracers, Neuroscience 4 (1979) 1615-1633.

- Kawamura, K., and Hashikawa, T.
Projections from the pontine nuclei proper and reticular tegmental nucleus onto the cerebellar cortex in the cat. An autoradiographic study, J. Comp. Neurol. 201 (1981) 395-413.
- Kawamura, K., and Naito, J.
Variation of the dog cerebral sulci, compared in particular with those of the cat, J. Hirnforsch. 19 (1978) 457-467.
- Kawamura, K., and Naito, J.
Corticocortical projections to the prefrontal cortex in the rhesus monkey investigated with horseradish peroxidase techniques, Neurosci. Res. 1 (1984) 89-103.
- Kawamura, K., and Norita, M.
Corticoamygdaloid projections in the rhesus monkey. An HRP study, Iwate med. Ass. 32 (1980) 461-465.
- Kawamura, K., Kase, M., Ohno, M., Hashikawa, T., and Kato, M.
Visual inputs to the dorsocaudal fastigial nucleus of the cat cerebellum. An experimental study using single unit recordings and horseradish peroxidase labeling, Arch. Ital. Biol. 128 (1990) 295-314.
- 川村光毅、小幡邦彦
情動の機構と歴史的考察 脳の科学、20(1998) 709-716.
- Kawamura, K., Ohyama, K., and Nakahara, J.
T/ebp(Nkx 2.1) knock-out mice exhibit developmental defects of neuronal circuits in the ventral forebrain area, 15th International Congress of Anatomists at Rome, September 11-16, 1999
- 川村光毅、小野勝彦
大脳辺縁系の解剖学、Clinical Neurosci. 5 (1987) 132-138.
- Kawamura, K., and Otani, K.
Corticocortical fiber connections in the cat cerebrum: the frontal region, J. comp. Neurol., 139 (1970) 423-448.
- Kawamura, K., Tsubokawa, T., and Tan-Takeuchi, K.
魚の情動と哺乳動物の情動, 岡崎(生理研研究会、「情動の生物学的意義と機構」) Sept., 1999
- 川野仁
中脳ドーパミンニューロンと情動機能、p.138-p.161、In: 情と意の脳科学一人とは何か、pp.321, 松本元、小野武年(編), 2002、培風館
- Kawano, H., Fukuda, T., Kubo, K., Horie, M., Uyemura, K., Takeuchi, K., Osumi, N., Eto, K., and Kawamura, K.
Pax-6 is required for thalamocortical pathway formation in fetal rats, J. Comp. Neurol. 408 (1999) 147-160.
- Kawano, H., Honma, S., Honma, A., Horie, M., and Hayashi, S.
Melanin-concentrating hormone neuron system: the wide web that control the feeding, Anat. Sci. Intn. 77 (2002) 145-160.

Kawano, H., Ohyama, K., Kawamura, K. and Nagatsu, I.
Migration of dopaminergic neurons in the embryonic mesencephalon of mice, Developm. Brain Res. 86 (1995) 101-113.

Kawato, M., and Gomi, H.
A computational model of four regions of the cerebellum based on feedback-error learning, boil. Cybern. 68 (1992a) 95-103.

Kawato, M., and Gomi, H.
The cerebellum and VOR/OKR learning models, Trends Neurosci. 15 (1992b) 445-453.

Keil, A., Mueller, M.M., Ray, W.J., Gruber, T., and Elbert, T.
Human gamma band activity and perception of a Gestalt, J.Neurosci. 19 (1999) 7152-7161.

Kemp, J.M. and Powell, T.P.S.
The corticostriate projection in the monkey, Brain 93 (1970) 525-546.

Kempermann, H.G., Kuhn, G., and Gage, F.H.
More hippocampal neurons in adult mice living in an enriched environment, Nature 386 (1997) 493-495.

Kerns, J.G., Cohen, J.D., MacDonald III, A.W., Johson, M.K., Stenger, V.A., Aizenstein, H., and Carter, C.S.
Decreased conflict –and error– related activity in the anterior cingulated cortex in subjects with schizophrenia, Am J. Psychiat. 162 (2005) 1833-1839.

Khan, Z.U., Gutierrez, A., Martin, R., Penafiel, A., Rivera, A., and De La Calle, A.
Differential regional and cellular distribution of dopamine D2-like receptors: an immunocytochemical study of subtype-specific antibodies in rat and human brain, J. comp. Neurol. 402 (1998) 353-371.

Kikkawa, F., Gonzalez, F. J., and Kimura, S.
Characterization of a thyroid-specific enhancer located 5.5 kilobase pairs upstream of the human thyroid peroxidase gene, Mol. Cell. Biol. 10 (1990) 6216-6224.

Kikyo, H., Ohki, K., and Miyashita, Y.
Neural correlates for feeling of knowing: an fMRI parametric analysis, Neuron 36 (2002) 177-186.

Kim, J.J., and Baxter, M.G.
Multiple brain-memory systems: the whole does not equal the sum of its parts, Trends in Neurosci. 24 (2001) 324-330.

Kim, S.-G., Ugurbil, K., and Strick, P.L.
Activation of cerebellar output nucleus during cognitive processing, Science 265 (1994) 949-951.

King, A.J., and Palmer, A.R.
Cell responsive to free-field auditory stimuli in guinea-pig superior colliculus: distribution and response properties, J. Physiol. (Lond.) 342 (1983) 361-381.

切替辰哉

多次元精神医学—E. クレッチメルの軌跡、1978, 金剛出版

Kitagawa, R., and Ichihara, S.

Hearing visual motion in depth, Nature 416 (2002) 172-174.

Kleist, K.

Gehirnpathologie, 1408pp, 1934, Leipzig, Verlag von Johann ambrosius Barth.

Klüver, H., and Bucy, P.C.

Preliminary analysis of functions of the temporal lobe in monkeys, Arch. Neurol. Psychiatr. 42 (1939) 979-1000.

Knudsen, E.I., and Konishi, M.

A neural map of auditory space in the owl, Science 200 (1978) 795-797.

Kobayashi, S., Lauwereyne, J., Koizumi, M., Sakagami, M., and Hikosaka, O.

Influence of reward expectation on visuospatial processing in macaque lateral prefrontal cortex, J. Neurophysiol. 87 (2002) 1488-1498.

Koelsch, S., Gunter, T., Friederici, A.D., and Schroeger, E.

Brain indices of music processing: “nonmusicians” are musical, J. Cognit. Neurosci. 12 (2000) 520-241.

Kohara, K., Kitamura, A., Adachi, N., Nishida, M., Itami, C., Nakamura, S., and Tsumoto, T.

Inhibitory, but not excitatory cortical neurons require presynaptic BDNF for dendritic development, as revealed by chimera cell culture, J. Neurosci., 23 (2003) 6123-6131.

Kohara, K., Kitamura, A., Morishima, M., and Tsumoto, T.

Activity-dependent transfer of brain-derived neurotrophic factor to postsynaptic neurons, Science 291 (2001) 2419-2423

国民衛生の動向、厚生の指標、52/9 (臨時増刊) 2005 年、厚生統計協会。

小俣和一郎

精神病院の起源、1998、大田出版

Konishi, S., Nakajima, K., Uchida, I., Kameyama, M., Nakahara, K., Sekihara, K., and Miyashita, Y.

Transient activation of inferior prefrontal cortex during cognitive shifting, Nat. Neurosci. 1 (1998) 80-84.

Konno, T.

Patterns of organization of the corticotectal projection of cats studied by means of the anterograde degeneration method, J. Hirnforsch. 20 (1979) 433-444.

小山純正、香川雪彦

脳幹アセチルコリンと睡眠・覚醒、Brain Medical 11 (1999) 11-19.

Kral, A., Hartmann, R., Tillein, J., Heid, S., and Klinke, R.

Hearing after congenital deafness: central auditory plasticity and sensory deprivation, Cerebral Cortex 12 (2002) 797-807.

Kretchmer, E.

Der sensitive Beziehungswahn, 1918, Berlin Verlag von Julius Springer.

Kretchmer, E.

Körperbau und Charakter, 1921, Berlin Verlag von Julius Springer.

Kretchmer, E.

Medizinische Psychologie, **Elfte Auflage, 1956**, Georg Thieme Verlag-Stuttgaart.

Kubicki, M., Westin, C.-F., Maier, S.E., Frumin, M., Nestor, P.G., Salisbury, D.F., Kikinis, R., Jolesz, F.A., McCarley, R.W., and Shenton, M.E.

Uncinate fasciculus findings in schizophrenia: a magnetic resonance diffusion tensor imaging study, Am. J. Psychiatry 159 (2002) 813-820.

工藤雅治

聴覚の大脳生理、神経進歩 48 (2004) 222-233.

Kudoh, M., and Shibuki, K.

Importance of polysynaptic inputs and horizontal connectivity in the generation of tetanus-induced long-term potentiation in the rat auditory cortex, J. Neurosci. 17 (1997) 9458-9465.

Kulkarni, A.S., Rahwan, R.G., and Bocknik, S.E.

Muricidal block induced by 5-hydroxytryptophan in the rat, Arch. Int. Pharmacodyn. 201 (1973) 308-313.

倉知正佳

生物学的立場から臨床精神病理学を問う;精神分裂病、精神医学レビュー 40 (2001) 60-68.

Kurachi, M.

Pathogenesis of schizophrenia: part II. Temporo-frontal two-step hypothesis. Psychiat. Clin. Neurosci. 5 (2003) 9-15.

吳秀三、樺田五郎

精神病者私宅監置ノ実況及ビ其統計的觀察、東京医学会雑誌 32/10-13 (1918);「精神病者私宅監置ノ実況」内務省衛生局、1918.

車地暁生

神経発達障害仮説からみた精神分裂病の病因と予防。臨床精神医学 29 (2000) 381-389

Kuypers, H.G.J.M.

An anatomical analysis of cortico-bulbar connexions to the pons and lower brain stem in the cat, J. Anat. (Lond.) 92 (1958) 198-218.

Kuypers, H.G.J.M., and Lawrence, D.G.

Cortical projections to the red nucleus and the brain stem in the rhesus monkey, Brain Res. 4 (1967) 151-188.

Laine, J., and Axelrad, H.

Extending the cerebellar Lugano cell class, Neuroscience 115 (2002) 363-374.

Lambert, M.V., Brierley, B., Al-Sarraj, S., Shaw, P., Polkey, C.E., Chandler, C., Toone, B.K., and David, A.S.

Quantitative magnetic resonance imaging of the amygdala in temporal lobe epilepsy—clinico-pathological correlations (a pilot study), *Epilepsy Res.* 53 (2003) 39-46.

Langheim, F.J.P., Callicott, J.H., Mattay, V.S., Duyn, J.H., and Weinberger, D.R.
Cortical systems associated with covert music rehearsal, *NeuroImage* 16 (2002) 901-908.

Laurienti, P.J., Wallace, M.T., Maldjian, J.A., Susi, C.M., Stein, B.E., and Burdette, J.H.
Cross-modal sensory processing in the anterior cingulate and medial prefrontal cortices, *Human Brain Mapping* 19 (2003) 213-223.

Lauwereyns, J., Koizumi, M., Sakagami, M., Hikosaka, O., Kobayashi, S., and Tsutsui, K.
Interference from irrelevant features on visual discrimination by macaques (*Macaca fuscata*); a behavioral analogue of the human Stroop effect, *J. Exp. Psychol.* 26 (2000) 352-357.

Lauwereyns, J., Sakagami, M., Tsutsui, K., Kobayashi, S., Koizumi, M., and Hikosaka, O.
Responses to task-irrelevant visual features by primate prefrontal neurons, *J. neurophysiol.* 86 (2001) 2001-2010.

Lauwereyns, J., Takikawa, y., Kawagoe, R., Kobayashi, S., Koizumi, M., Coe, B., Sakagami, M., and Hikosaka, O.

Feature-based anticipation of cues that predict reward in monkey caudate nucleus, *Neuron* 33 (2002) 463-473.

LeDoux, J.
The Emotional Brain. The Mysterious Underpinnings of Emotional Life, Weidenfeld & Nicolson, 1998. 松本元、川村光毅、小幡邦彦、石塚典生、湯浅茂樹 訳 :エモーショナル・プレイン、情動の科学、2003、東京大学出版会

Leiner, H.C., Leiner, A. L., and Dow, R. S.
Does the cerebellum contribute to mental skills ? *Behav. Neurosci.* 100 (1986) 443-454.

Leiner, H.C., Leiner, A.L., and Dow, R.S.
Cognitive and language functions of the human cerebellum, *Trends Neurosci.* 16 (1993) 444-447.

LeVay, S., Wiesel, T.N., and Hubel, D.H.
The development of ocular dominance columns in normal and visually deprived monkeys, *J. Comp. Neurol.* 191 (1980) 1-51.

Levy, R., Goldman-Rakic, P.S.
Segregation of working memory functions within the dorsolateral prefrontal cortex, *Exp. Brain Res.* 133 (2000) 23-32.

Linnoila, V. M., and Virkkunen, M.
Aggression, suicidality, and serotonin, *J. Clin. Psychiat.* 53 (1992): 46-51

Loeber, R.T., Cintron, C.M., and Yurgelun-Todd, D.A.
Morphometry of individual cerebellar lobules in schizophrenia, *Am. J. Psychiat.* 158 (2001)

952-954.

Lorente de Nô, R.

Studies on the structure of the cerebral cortex. I.The area entorhinalis, J. Psychol. Neurol. (Lpz.) 45 (1933) 381-438.

Lorente de Nô, R.

Studies on the structure of the cerebral cortex. II. Continuation of the studies of the Ammonic system, J. Psychol. Neurol. (Lpz.) 46 (1934) 117-177.

Luppino, G., Matteli, M., Camarda, R., and Rizzolatti, G.

Corticocortical connections of area F3 (SMA-proper) and area F6 (pre-SMA9 in the macaque Monkey, J.comp. Neurol. 338 (1993) 114-140.

Luppino, G., Murata, A., Govoni, P., and Matteli, M.

Largely segregated parietofrontal connections linking rostral intraparietal cortex (areas AIP and VIP) and the ventral premotor cortex (areas F5 and F4) , Exp.Brain Res. 128 (1999) 181-187.

Luppino, G., Rozzi, S., Calzavara, R., and Matelli, M.

Prefrontal and agranular cingulated projections to the dorsal premotor areas F2 and F7 in the macaque monkey, European J. Neurosci. 17 (2003) 559-578.

Luria, A.R.

Basis of Neuropsychology, Moscow Univ. Press (in Russian), 1973, 神経心理学の基礎(鹿島晴雄訳)、1999(第二版)、医学書院

Macaluso, E., Frith, C.D., and Driver, J.

Modulation of human visual cortex by crossmodal spatial attention, Science 289 (2000) 1206 -1208.

MacLean, P. D

Studies on limbic system ("visceral brain") and their bearing on psychosomatic problems. In: Recent Development in Psychosomatic Medicine (R.Cleghorn and E.Wittkower eds.) (1954) pp.101-125, Pitman, London.

MacLean, P. D.

A triune concept of the brain and behavior, In : The Hincks Memorial Lectures, eds by Boag, T.,and Cambell, D., Univ. of Tronto Press, Tronto, 1973, pp6-66.

MacLean, P. D.

On the origin and progressive evolution of the triune brain. In: Primate Brain Evolution: Methods and Concepts (E.Armstrong and D.Falk eds.) (1982) pp.291-316, New York, Plenum Press.

MacLusky, N.J. and Naftolin, F.

Sexual differentiation of the central nervous system, Science 211 (1981) 1294-1302.

前田貴記、鹿島晴雄

知覚の体制化の異常について—統合失調症の症状形成機構の神経心理学的検討一、Schizophrenia Frontier 4 (2003) 101-107.

- Maess, B., Koelsch, S., Gunter, T. C., and Friederici, A. D.
Musical syntax is processed in Broca's area: an MEG study, *Nature Neurosci.* 4 (2001) 540-545.
- Maguire, E. A., Gadian, D. G., Johnsrude, I. S. et al.
Navigation-related structural change in the hippocampi of taxi drivers, *Proc. Natl. Acad. Sci USA* 97 (2000) 4398-4403.
- Manes, F., Springer, J., Jorge, R., and Robinson, R.G.
Verbal memory impairment after left insular infarction, *Neurol. Neurosurg. Psychiat.* 67 (1999) 532-534.
- Maquet, P., Peters, J.M., Aerts, J., Delfiore, G., Degueldre, C., Luren, A., and Franck, G.
Functional neuroanatomy of human rapid-eye-movement sleep and dreaming, *Nature* 383 (1996) 163-166.
- 丸山直滋
聴覚情報の受容と認識、新医学体系7、刺激の受容と生体運動、中山書店、pp.91-113, 1995.
- Marx, K.
経済学・哲学手稿、1844.
- Masson, G.L., Masson, S.R.-L., Debay, D., and Bal, T.
Feedback inhibition controls spike transfer in hybrid thalamic circuits, *Nature* 417 (2002) 854-858.
- Matteli, M., Govoni, P., Galletti, C., Kutz, D.F., and Luppino, G.
Superior area 6 afferents from the superior parietal lobule in the macaque monkey, *J. com. Neurol.* 402 (1998) 327-352.
- Matteli, M., and Luppino, G.
Parietofrontal circuits: parallel channels for sensory-motor integrations, *Adv. Neurol.* 84 (2000) 51-61.
- Matelli, M., Luppino, G., and Rizzolatti, G.
Convergence of pallidal and cerebellar outputs on the frontal motor areas, *Acta Biomed. Ateneo Parmense* 66 (1995) 83-92.
- Mathiak, K., Hertrich, I., Grodd, W., and Ackermann, H.
Cerebellum and speech perception: a functional magnetic resonance imaging study, *J. Cognitive Nerosci.* 14 (2002) 902-912.
- Matsukawa K., Kamei H., Minoda K., and Udo M.
Interlimb coordination in cat locomotion investigated with perturbation. I. Behavioral and electromyographic study on symmetric limbs of decerebrate and awake walking cats, *Exp. Brain Res.* 46 (1982) 425-37.
- 松本元、小野武年(編)

情と意の脳科学－人とは何か、2002、培風館

松浦雅人、松田哲也、大久保起延、大久保博美、小島卓也、泰羅雅登
精神分裂病の眼球運動異常と機能的 MRI、臨床脳波 43 (2001) 767-773.

Matthes, H.W., Maldonado,R., Simonin, F., Valverde, O., Slowe, S., Kitchen, I., Befort, K., Dierich, A., LeMeur, M., Dolle, P., Tzavara, E., Hanoune, J., Roques, B.P., and Kieffer, B.L.
Loss of morphine-induced analgesia, reward effect and withdrawal symptoms in mice lacking the mu-opioid-receptor gene, Nature 383 (1996) 819-823.

Maunsell, J.H.R. and Van Essen, D.C.

The connections of the middle temporal visual area (MT) and their relationship to cortical hierarchy in the macaque monkey, J. Neuroscience 3 (1983) 2563-2586.

McFarland, N.R., and Haber, S.N.

Thalamic relay nuclei of the basal ganglia form both reciprocal and nonreciprocal cortical connections, linking multiple frontal cortical areas, J. Neurosci. 22 (2002) 8117-8132.

McGuire, P.K., Shah, G.M.S., and Murray, R.M.

Increased blood flow in Broca's area during auditory hallucination in schizophrenia, Lancet 342 (1993) 703-706.

McKeefry, D.J., and Zeki, S.

The position and topography of the human colour centre as revealed by functional magnetic resonance imaging, Brain 120 (1997) 2229-2242.

McKittrick, D.J.

Expression of fos in the hypothalamus of rats exposed to warm and cold temperatures, Brain Res. Bull. 53 (2000) 307-315.

Melchner, L. von, Pallas, S. L., and Sur, M.

Visual behaviour mediated by retinal projections directed to the auditory pathway, Nature 404 (2000) 871-876.

Merzenich, M.M., and Brugge, J.F.

Representation of the cochlear partition on the superior temporal plane of the macaque monkey, Brain Res. 50 (1973) 275-296.

Michotte, A.

La perception de la causalite. 1963, English transl. by Miles, T.R. & Miles, E. Methuen, London.

Middleton, F.A., and Strick, P.L.

Basal-ganglia 'projections' to the prefrontal cortex of the primate, Cerebral Cortex 12 (2002) 926-935.

Miller, E.K., and Cohen, J.D.

An integrative theory of prefrontal cortex function, Annu. Rev. Neurosci. 24 (2001) 167-202.

- Miller, E.K., Nieder, A., Freedman, D.J., and Wallis, J.D.
 Neural correlates of categories and concepts, Current Opinion Neurobiol. 13 (2003) 198-203.
- Milner,A.D.,and Goodale, M.A.
 Visual pathways to perception and action, Prog. Brain Res. 95 (1993) 317-337.
- Mink, J.W.
 Basal Ganglia, Chapter 34 (p. 951-p.972) of Fundamental Neuroscience, pp. 1600, Ed. by Zigmond, M.J., Bloom, F.E., Landis, S.C., Roberts, J.L., Squire, L.R., Academic Press, 1999, Sandiego, London, Boston, New York, Sydney, Tokyo, Tronto.
- Mishkin, M.
 A memory system in the monkey, Phil Trans. R Soc Lond B Biol Sci. 298 (1982)83-95.
- Mishkin, M., and Ungerleider, L.G.
 Contribution of striate inputs to the visuospatial functions of parieto-preoccipital cortex in monkeys, Behav. Brain Res. 6 (1982) 57-77.
- Mitchell, J.B., and Gratton, A.
 Involvement of mesolimbic dopamine neurons in sexual behaviors : implications for the neurobiology of motivation, Rev. Neurosci. 5 (1994) 317-329.
- Miyachi,S., Hikosaka, O., Miyashita, K., Karadi, Z., and Rand, M.K.
 Differential roles of monkey striatum in learning of sequential hand movement, Exp. Brain Res. 115 (1997) 1-5.
- Miyamoto, H., Katagiri, H., and Hensch, T.
 Experience-dependent slow –wave sleep development, Nature Neurosci. 6 (2003) 553-554.
- 宮里勝政
 ニコチン依存ならびに報酬効果に関する新展開、日薬理誌 117 (2001) 27-34.
- Mizuhara, H., Wang, L-Q., Kobayashi, K., and Yamaguchi, Y.
 A long-range cortical network emerging with theta oscillation in a mental task, Neuroreport 15 (2004) 1233-1238.
- Mizuhara, H., Wang, L-Q., Kobayashi, K., and Yamaguchi, Y.
 Long-range EEG phase-synchronization during an arithmetic task indexes a coherent cortical network simultaneously measured by fMRI, NeuroImage (2005) in print.
- Monakow, C. v.
 Die Lokalisation im Grosshirn und der Abbau der Funktion durch kortikale Herde, Wiesbaden, Bergmann, 1914.
- 森茂美
 脳の巧みさと立つ・歩く仕組み、科学 72 (2002) 344-352.

Mori, S., Matsuyama, K., Mori, F., and Nakajima, K.
Supraspinal sites that induce locomotion in the vertebrate central nervous system, Advances in Neurology 87 (2001) 25-40.

Mori, S., Shik, M.L., and Yagodnitsyn, A.S.
Role of pontine tegmentum for locomotor control in mesencephalic cat, J. Neurophysiol. 40 (1977) 284-295.

Morris, R.G.M., Garrud, P., Rawlins, J.N.P., and O'Keefe, J.
Place navigation impaired in rats with hippocampal lesions, Nature 297 (1982) 681-683.

Moruzzi, G., and Magoun, H. W.
Brain stem reticular formation and activation of the EEG, Electroenceph. Clin. Neurophysiol. 1 (1949) 455-473.

Motter, B.C., and Mountcastle, V.B.
The function properties of the posterior parietal cortex studied in waking monkeys: foveal sparing and opponent vector organization, J. Neurosci. 1 (1981) 3-26.

Mountcastle, V.B.
Modality and topographic properties of single neurons of cat's somatic sensory cortex, J. Neurosci. 20 (1957) 408-434.

Mountcastle, V.B., Cowan M.R., and Harrison, C.R.
The central representation of some forms of deep sensibility, Ass. Res. Nerv. Dis. Proc. 30 (1952) 339-370.

Mountcastle, V.B., Lynch J.C., Georgopoulos, A., Sakata, H., and Acuna, C.
Posterior parietal association cortex of the monkey: command functions for operations within extrapersonal space, J. Neurophysiol. 38 (1975) 871-908.

永井道明、岸浩一郎、加藤敏
大脳皮質島葉の構造と諸機能—最近の研究の展望—、神經進歩 46 (2002) 157-173.

中原裕之、銅谷賢治、彦坂興秀
順序動作の学習の脳内ネットワーク、脳の科学 22 (2000a) 1075-1085.

中原裕之、銅谷賢治、彦坂興秀
大脳皮質一大脳基底核回路の運動制御における機能、BSIS Technical Reports (2000b) No.00-5.

Nakahara, K., Hayashi, T., Konishi, S., and Miyashita, Y.
Functional MRI of macaque monkeys performing a cognitive set-shifting task, Science 295 (2002) 1532-1536.

中村加枝

大脳皮質－基底核関連と情報統合－手続き記憶と閉回路システムによる‘Executive function’、
Brain Medical 13 (2001) 343-352.

Nakamura, K., Sakai, K., and Hikosaka, O.

Neural activity in medial frontal cortex during learning of sequential procedures, J. Neurophysiol. 80 (1998) 2671-2687.

Nakamura, K., Sakai, K., and Hikosaka, O.

Effects of local inactivation of monkey medial frontal cortex in learning of sequential procedures, J. Neurophysiol. 82 (1999) 1063-1068.

中田力

MRで脳の秘密にせまる(立花隆による紹介記事)、サイアス(SCIaS) 5/02 (2000) 122-129.

中沢一俊

海馬場所細胞と記憶、細胞工学 21 (2002) 991-998.

Nakazawa, L., Quirk, M.C., Chitwood, R.A., Watanabe, M., Yeckel, M.F., Sun, L.D., Kato, A., Carr, C.A., Johnston, D., Wilson, M.A., and Tonegawa,S

Requirement for hippocampal CA3 NMDA receptors in associative memory recall, Science 297 (2002) 211-218.

Nakazawa, L., Sun, L.D., Quirk, M.C., Rondi-Reig,L., Wilson, M.A., and Tonegawa,S.

Hippocampal CA3 NMDA receptors are crucial for memory acquisition of one-time experience, Neuron 38 (2003) 305-315.

Naya, Y., Yoshida, M., and Miyashita, Y.

Backward spreading of memory-retrieval signal in the primate temporal cortex, Science 291 (2001) 661-664.

新見嘉兵衛

神経解剖学、朝倉書店、1976.

Niki, H., Sugita, S., and Watanabe, M.

Modification of the activity of primate frontal neurons during learning of a go/no-go discrimination and its reversal : a progress report. In: Vision, Memory and the Temporal Lobe (eds. By Iwai, E., and Mishkin, M.), pp.295-304, Elsevier, New York, 1990.

Niki, H., and Watanabe, M.

Prefrontal and cingulate unit activity during timing behavior in the monkey, Brain Res. 171 (1979) 213-224.

Nimchinsky, E.A., Gilissen, E., Allman, J.M., Perl, D. P., Erwin, J.M., and Hof, P.R.

A neuronal morphologic type unique to humans and great apes, Proc. Natl. Acad. Sci. USA, 96 (1999) 5268-5273.

Ninokura, Y., Mushiake, H., and Tanji, J.

Representation of the temporal order of visual objects in the primate lateral prefrontal cortex, J. Neurophysiol. 89 (2003) 2868-2873.

Ninokura, Y., Mushiake, H., and Tanji, J.

Integration of temporal order and object information in the monkey lateral prefrontal cortex, J. Neurophysiol. 91 (2004) 555-560.

西川徹

薬物療法モデルを用いた分裂病の発症および再燃に関する遺伝子の探索、精神経誌 104 (2002) 487-492.

西川徹、山本直樹、土田英人、海野麻未、川口直恵

哺乳類脳における内在性Dーセリン、日本神経精神薬学雑誌 20 (2000) 33-39.

西川徹、海野麻未、梶中靖、橋本隆紀、戸田重誠、佐藤大輔、平岡秀一、掛山正心
分裂病の成因は薬理・生化学的アプローチから解明されるか。精神科治療学 12(1997)617-623.

Nishimura, T., Mikami, A., Suzuki, J., and Matsuzawa, T.

Descent of the larynx in chimpanzee infants, Proc. Natl. Acad. Sci. USA 100(2003) 6930-6933.

Noga, B.R., Kriellaars, D.J., and Jordan, L.M.

The effect of selective brainstem or spinal cord lesions on treadmill locomotion evoked by stimulation of the mesencephalic or pontomedullary locomotor regions, J Neurosci. 11 (1991) 1691-1700.

Noguchi, Y., Takeuchi, T., and Sakai, K.

Lateralized activation in the inferior frontal cortex during syntactic processing: event-related optical topography study, Human Brain Mapping 17 (2002d) 89-99.

野村実

シュヴァイツァー博士を語る、1961、白水社

Norita, M., and Kawamura, K.

Subcortical afferents to the monkey amygdala: an HRP study, Brain Res., 190 (1980) 225-230.

Nottebohm, F.

カナリヤの歌と神経発生、日経サイエンス 19 (1989) 80-89.

Oda, Y., and Nakanishi, I.

The distribution of cholinergic neurons in the human central nervous system, Histol. Histopathol. 15 (2000) 825-838.

O'Doherty, J., Kringelback, M. L., Rolls, E.T., et al.

Abstract reward and punishment representation in the human orbitofrontal cortex, Nature Neurosci. 4 (2001) 95-102.

Ogasawara, K., and Kawamura, K.

Cells of origin and terminations of the trigeminotectal projection in the cat as demonstrated with the horseradish peroxidase and autoradiographic methods, Okajimas Folia Anat. Jpn. 58 (1982) 247-264.

Ohbayashi, M., Ohki, K., and Miyashita, Y.

Conversion of working memory to motor sequence in the monkey premotor cortex, Science 301 (2003) 233-236.

Ohyama, K., Kawano, H., Asou, H., Fukuda, T., Oohira, A., Uyemura, K., and Kawamura, K. Coordinate expression of L1 and 6B4 proteoglycan/phosphacan is correlated with the migration of mesencephalic dopaminergic neurons in mice, Dev. Brain Res. 107 (1998) 219-226.

Ohyama, K., Kimura, S., Katayama, M., Kawamura, K.

Developmental defects of the limbic cortex and axon pathfinding of the anterior commissure in T/ebp (NKx 2.1) null mice, in preparation

岡村均

細胞はいかにして時を刻むか—生物時計研究のルネサンス、細胞工学 20 (2001) 794-799.

O'Keefe, J., and Nadel, L.

The Hippocampus as a Cognitive Map, London, Oxford University Press, 1978.

O'Keefe, J., Recce, M.L.

Phase relationship between hippocampal place units and the EEG theta rhythm, Hippocampus 3 (1993) 317-330.

Okita, T.

Within-channel selection and event-related potentials during selective auditory attention, Psychophysiol, 26 (1989) 127-139.

沖田庸嵩

事象関連電位と認知情報処理—選択的注意の問題を中心として—、 心理学研究 60 (1989) 320-335.

Okugawa, G., Sedvall, G., Nordstrom, M., Andreasen, N., Pierson, R., Magnotta, V., and Agartz, I. Selective reduction of the posterior vermis in men with chronic schizophrenia, Schizophr. Res. 55 (2002) 61-67.

大久保起延、大久保博美、松浦雅人、芹沢秀和、西村玲子、鹿中紀子、松島英介、泰羅雅登、小島卓也

functional MRI による精神分裂病における眼球運動の研究、脳の科学 23 (2001) 767-774.

大村裕、坂田利家

脳と食欲—頭で食事をする、1996、共立出版

Ono, K., and Kawamura, K.

Migration of immature neurons along tangentially oriented fibers in the subpial part of the fetal mouse medulla oblongata, Exp. Brain Res. 78 (1989) 290-300.

Ono, K., and Kawamura, K.

Mode of neuronal migration of the pontine stream in fetal mice, Anat. Embryol. 182 (1990) 11-19.

Ono, T., and Nishijo, H.

Neurophysiological basis of emotion in primates: neuronal responses in the monkey amygdale and anterior cingulate cortex, In: The Cognitive Neurosciences, 2nd Ed. (Gazzaniga, M.S. ed.) pp. 1099-1114, 1999, MIT Press.

小野武年、西条寿夫

大脳辺縁系・大脳基底核における情と意の出力機構—本能、情動、生きる喜び— p.2—p.25, In: 情と意の脳科学—人とは何か、pp.321、松本元、小野武年(編)、2002、培風館。

Ono, T., Squire, L.R., Raichle, M.E., Perrett, D.I., and Fukuda, M. (Eds.)

Brain Mechanisms of Perception and Memory—From Neuron to Behavior, 1993, Oxford Univ. Press, New York Oxford.

直行

意識とは何か—科学の新たな挑戦、岩波科学ライブラリー 36, 1996, 岩波書店

Pandya, D.N., and Sanides, F.

Architectonic parcellation of the temporal operculum in rhesus monkey and its projection pattern, Z.Anat. Entwickl.-Gesch. 139 (1973) 127-161.

Papez, J.W.

A proposed mechanism of emotion, Arch. Neurol. Psychiatr. 79 (1937) 217-224.

Parent, A., and Hazrati, L.-N.

Functional anatomy of the basal ganglia. I. The cortico-basal ganglia-thalamo-cortical loop, Brain Res. Rev. 20 (1995a) 91-127.

Parent, A., and Hazrati, L.-N.

Functional anatomy of the basal ganglia. II. The place of subthalamic nucleus and external pallidum in basal ganglia circuitry, Brain Res. Rev. 20 (1995b) 128-154.

Patel, A.D., and Balaban, E.

Temporal patterns of human cortical activity reflect tone sequence structure, Nature 404 (2000) 80-84.

Patel, A. D., Gibson, E., Ratner, J., Besson, M., and Holcomb, P. J.

Processing syntactic relations in language and music: an event-related potential study, J. Cognit. Neurosci. 10 (1998) 717-733.

Pavlov, I.P.

Lectures on the Activity of the Cerebral Hemisphere, (1927) Leningrad. 林 龍 訳、1937. 条件反射学—大脳両半球の働きに就いての講義—三省堂;川村 浩 訳、1975. 大脳半球の働きについて—条件反射学、岩波書店。

Pavlov, I. P.

Conditioned Reflexes, An Investigation of the Physiological Activity of the Cerebral Cortex. (Transl. & Ed. by G.V. Anrep) 1927、Oxford Univ. Press.

Pavlov, I. P. (1941) : Lectures on Conditioned Reflexes, Vol.1 (The Higher Nervous Activity (Behaviour) of Animals) & Vol. 2 (Conditioned Reflexes and Psychiatry) , (Transl. & Ed. by W.H.Grantt) , Lawrence & Wishart Ltd., London

パヴロフ選集 (1949) 上巻、下巻 (コシトヤンツ監修、東大ソ医研訳)、1962、合同出版社

Pavlov, I.P.

高次神経活動の客観的研究(第一章—第63章)、1903—1936、ソ連科学アカデミー版、1951、岡田靖雄、横山恒子 訳、(1979) 岩崎学術出版社。

Penfield, W., and Welch, K.

The supplementary motor area of the cerebral cortex. A clinical and experimental study, Arch. Neurol. Psychiat. (Chic.) 66 (1951) 289-317.

Penfield, W., and Roberts, L.

Speech and Brain-Mechanisms, 1959, Princeton, NJ, Princeton Univ. Press.

Perrett, D.I., Rolls, E.T., and Caan, W.

Visual neurones responsive to faces in the monkey temporal cortex, Exp. Brain Res. 47 (1982) 329-342.

Peterhaus, E., and von der Heydt, R.

Mechanisms of contour perception in monkey visual cortex. II. Contours bridging gaps, J. Neurosci. 9 (1989) 1749-1763.

Phelps, E. A., Hirst, W., and Gazzaniga, M.S.

Deficits in recall following partial and complete commissurotomy, Cereb.Cortex 1 (1991) 492-498.

Phillips, M.L., Young, A.W., Senior, C., Brammer, M., Andrew, C., Calder, A.J., Bullmore, E.T., Perrett, D.I., Rowland, D., Williams, S.C.R., Gray, J.A. and David, A.S.

A specific neural substrate for perceiving facial expressions of disgust, Nature 389 (1997) 495-498.

Phillips, M.L., Williams, L., Senior, C., Bullmore, E.T., Brammer, M. J., Andrew, C., Williams, S.C.R., and David, A.S.

A differential neural response to threatening and non-threatening negative facial expressions in paranoid and non-paranoid schizophrenics, Psychiat. Res. Neuroimag. Sec. 92 (1999) 11-31.

Pierce, K., Muller, R.A., Ambrose, J., Allen, G., and Courchesne, E.

Face processing occurs outside the fusiform ‘ face area ’ in autism : evidence from functional MRI, Brain 124 (2001) 2059-2073.

Pincus, D.W., Keyoung, H.M., Harrison-Restelli, C., Goodman, R.R., Fraser, R.A., Edgar,M., Sakakibara,S., Okano,H., Nedergaard,M., and Goldman,S.A.

Fibroblast growth factor-2/brain-derived neurotrophic factor-associated maturation of new neurons generated from adult human subependymal cells, Ann Neurol. 43 (1998) 576-585.

Prabhakaran, V., Narayanan, K., Zhao, Z., and Gabrieli, J.D.E.
Integration of diverse information in working memory within the frontal lobe, *Nature Neurosci.* 3 (2000) 85-90.

Premack, D., and Woodruff, G.+
Does the chimpanzee have a theory of mind ? *Behav. Brain Sci.* 4 (1978) 515-526.

Price, M., Lazzaro, D., Pohl, T., Mattei, M.-G., Ruther, U., Olivo, J.-C., Duboule, D., and DiLauro, R.

Regional expression of the homeobox gene Nkx-2.2 in the developing mammalian fore brain, *Neuron* 8 (1992) 241-255.

Rauschecker, J.P.
Processing of complex sounds in the auditory cortex of cat, monkey, and man, *Acta Otolaryngol. (Stockh)* Suppl. 532 (1997) 34-38.

Rauschecker, J.P.
Cortical processing of complex sounds, *Curr. Opin. Neurobiol.* 8 (1998) 516-521.

Rauschecker, J.P.
Auditory cortical plasticity: a comparison with other sensory systems, *Trends Neurosci.* 22 (1999) 74-80.

Rauschecker, J.P.
Sensory deprivation, In: *Encyclopedia of the Human Brain* Vol.4, 2002a, Elsevier Science (USA).

Rauschecker, J.P.
Cortical map plasticity in animals and humans, *Progr. Brain Res.* 138 (2002b) 73-88.

Rauschecker, J.P., and Tian B.
Mechanisms and streams for processing of “what” and “where” in auditory cortex, *Proc. Natl. Acad. Sci. USA* 97 (2000) 11800-11806. 酒田英夫(訳) :聴覚皮質における「対象」と「空間」の情報処理メカニズムとその経路、*神経進歩* 46 (2002) 91-101.

Ribeiro, S., Mello, C.V., Velho, T., Gardner, T.J., Jarvis, E.D., and Pavlides, C.
Induction of hippocampal long-term potentiation during waking leads to increased extrahippocampal zif-268 expression during ensuing rapid -eye-movement sleep, *J. Neurosci.* 22 (2002) 10914-10923.

臨床精神医学
特集:NIRS による機能画像の新展開、33巻/6号、2004年、アークメディア。

Robinson, D.
Eye movements evoked by collicular stimulation in the alert monkey, *Vision Res.* 12 (1972) 1795-1808.

Rogers, L.J. and Andrew, R.J. (Eds.)

Comparative Vertebrate Lateralization, 2002, Cambridge Univ. Press.

Romanski, L.M., Bates, J.F., and Goldman-Rakic P.S.

Auditory belt and parabelt projections to the prefrontal cortex in the rhesus monkey, J. comp. Neurol. 403 (1999) 141-157.

Romanski, L.M., Tian B., Fritz J., Mishkin M., Goldman-Rakic P.S., and Rauschecker, J.P.

Dual streams of auditory afferents target multiple domains in the primate prefrontal cortex, Nature Neurosci. 2 (1999) 1131-1136.

Rousseau, J.-J.

Essai sur L'origine des Langues. 言語起源論—旋律および音楽的模倣を論ず、1781、小林善彦訳 現代思潮社、1996

Rushworth, M.F.S., Hadland, K.A., Paus, T., and Sipila, P.K.

Role of human medial frontal cortex in task switching: a combined fMRI and TMS study, J. Neurophysiol. 87 (2002) 2577-2592.

Ryle, G.

The Concept of Mind. San Francisco, CA, Hutchinson, 1949

Sadato, N., Okada, T., Honda, M., Matsuki, K., Yoshida, M., Kashikura, K., Takei, W., Sato, T., Kochiyama, T., and Yonekura, Y.

Cross-modal integration and plastic changes revealed by lip movement, random-dot motion, and sign languages in the hearing and the deaf, Cereb. Cortex, in press , 2004.

Saito, D.N., Okada, T., Morita, Y., Yonekura, Y., and Sadato, N.

Tactile-visual cross-modal shape matching: a functional MRI study , Cognitive Brain Res. 17 (2003) 14-25.

斎藤治

精神疾患と脳科学—機能的・生物学的仮説と時間認識、こころの科学 100 (2001) 108-113.

Saitoh, O., Yumoto, M., Anami, K., and Utena, H.

Momentary color vision test and a new hypothesis of schizophrenia, submitted, 2002, also see Abstract, Vol.2, p.324, XII World Congress of Psychiatry, 2002, Yokohama.

Saito, Y., Nothacker, H.P., Wang, Z., Lin, S.H., Leslie, F., and Civelli, O.

Molecular characterization of the melanin-concentrating -hormone receptor, Nature 400 (1999) 265-269.

Saji, M., Kobayashi, S., Ohno, K., and Sekino, Y.

Interruption of supramammillohippocampal afferents prevents the genesis and spread of limbic seizures in the hippocampus via a disinhibition mechanism, Neuroscience 97 (2000) 437-445.

坂上雅道、小泉昌司

行動抑制と前頭葉、Brain Medical 13 (2001) 29-35.

Sakagami, M., and Niki, H.

Encoding of behavioral significance of visual stimuli by primate prefrontal neurons: relation to relevant task conditions, *Exp. Brain Res.*, 97 (1994a) 423-436.

Sakagami, M., and Niki, H.

Spacial selectivity of go/no-go neurons in monkey prefrontal cortex, *Exp. Brain Res.*, 100 (1994b) 165-169.

Sakagami, M., and Tsutsui, K.

The hierarchical organization of decision making in the primate prefrontal cortex, *Neurosci. Res.* 34 (1999a) 79-89.

坂上雅道、筒井健一郎

神経活動から見た前頭前野の2つの柔軟性－認知機能の背景として、脳の科学 21 (1999b) 617-625.

Sakagami,M., Tsutsui,K., Lauwereyns,J., Koizumi,M., Kobayashi,S., and Hikosaka,O.

A code for behavioral inhibition on the basis of color, but not motion, in ventrolateral prefrontal cortex of macaque monkey, *J.Neurosci.* 21 (2001) 4801-4808.

坂井克之

学習における脳活動時系列変化の解析－fMRIを用いて、神經進歩 43 (1999) 542-551.

坂井克之

小脳によるタイミングとリズムの制御－fMRI 実験を中心に、神經進歩 44 (2000) 783-791.

Sakai, K., Hikosaka, O., Miyauchi, S., Takino, R., Sasaki, Y., Puetz, B.

Transition of brain activation from frontal to parietal areas in visuomotor sequence learning, *J. Nuerosci.* 18 (1998) 1827-1840.

Sakai, K., Hikosaka, O., Miyauchi, S., Takino, R., Tamada, T., Iwata N.K., and Nielsen, M.

Neural representation of a rhythm depends on its interval ratio, *J. Neurosci.* 19 (1999a) 10074-10081.

Sakai, K., Hikosaka, O., Takino R., Miyauchi, S., Nielsen M., and Tamada, T.

What and When: Parallel and convergent processing in motor control, *J. Neurosci.* 20 (2000) 2691-2700.

Sakai, K., and Passingham, R.E.

Prefrontal interactions reflect future task operations, *Nature Neurosci.* 6 (2003) 75-81.

Sakai, K., Rowe, J.B., and Passingham, R.E.

Active maintenance in prefrontal area 46 creates distractor-resistant memory, *Nature Neurosci.* 5 (2002) 479-484..

酒井邦嘉

言語の認知脳科学、生体の科学 49 (1998a) 10-22.

酒井邦嘉

言語獲得の脳科学、生体の科学 49 (1998b) 40-53.

酒井邦嘉

心にいどむ認知脳科学 記憶と意識の統一論、(2000a) 岩波書店

酒井邦嘉ら

第二3回日本神経科学大会、抄録集 307 頁、(2000b)

酒井邦嘉

言語の脳科学—脳はどのようにことばを生みだすか、(2002a) 中公新書、中央公論新社

Sakai, K.L., Hashimoto, R., and Homae, F.

Sentence processing in the cerebral cortex, Neurosci. Res. 39 (2001) 1-10

Sakai, K.L., Noguchi, Y., Takeuchi, T., and Watanabe, E.

Selective priming of syntactic processing by event-related transcranial magnetic stimulation of Broca's area, Neuron 35 (2002c) 1177-1182.

Sakata, H., Shibutani, H., and Kawano, K.

Spatial properties of visual fixation neurons in posterior parietal association cortex of the monkey, J. Neurophysiol. 43 (1980) 1654-1692.

Sakata, H., Shibutani, H., and Kawano, K.

Functional properties of visual tracking neurons in posterior parietal association cortex of the monkey, J. Neurophysiol. 49 (1983) 1364-80.

Sakata, H., Taira, M., Kusunoki, M., Murata, A., and Tanaka, Y.

The parietal association cortex in depth perception and visual control of hand action, Trends Neurosci. 20 (1997) 350-357.

Sakata, H., Takaoka, Y., Kawarasaki, A., et al.

Somatosensory properties of neurons in the superior parietal cortex (area 5) of the rhesus monkey, Brain Res. 64 (1973) 85-102.

Saleem, K.S., Suzuki, W., Tanaka K., and Hashikawa, T.

Connections between anterior inferotemporal cortex and superior temporal sulcus regions in the macaque monkey, J. Neurosci. 20 (2000) 5083-5101.

Samejima, K., Ueda, Y., Doya, K., and Kimura, M.

Representation of action-specific reward values in the striatum, Science 310 (2005) 1337-1340.

Sanai, N., Tramontin, A.D., Quinones-Hinojosa, A., Barbaro, N.M., Gupta, N., Kunwar, S., Lawton, M.T., McDermott, M.W., Parsa, A.T., Manuel-Garcia Verdugo, J., Berger, M.S., and Alvarez-Buylla, A.

Unique astrocyte ribbon in adult human brain contains neural stem cells but lacks chain migration,

Nature 427 (2004) 740-744.

佐野豊

視床下部、医学書院、2003

Saper, C.B., Chou, T.C. and Scammell, T.E.

The sleep switch: Hypothalamic control of sleep and wakefulness, Trends Neurosci. 24 (2001) 726-731.

Sarter, M., and Parikh, V.

Choline transporters, cholinergic transmission and cognition, Nature Review Neuroscience 6 (2005) 48-56.

Sasaki, K.

Cerebro-cerebellar interconnections in cats and monkeys, In: Cerebrocerebellar Interactions, ed. by Massion, J., and Sasaki, K. pp. 105-124, Elsevier, Amsterdam, 1979.

佐々木和夫

随意運動における小脳の役割、p.80-p.101, In: 小脳の神経学、pp.325 伊藤正男、祖父江逸郎、小松崎篤、広瀬源二郎(編)、1986, 医学書院

Sasaki, K., and Gemba, H.

Action of the cerebello-thalamo-cortical projection upon visually initiated reaction-time hand movements in the monkey, Stereotact Funct Neurosurg 60 (1993) 104-120.

Sasaki, K., Gemba, H., Nambu, A., and Matsuzaki, R.

No-go activity in the frontal association cortex fo human subjects, Neurosci. Res. 18 (1993) 249-252.

Sasaki, K., Jinnai, K., Gemba, H., Hashimoto, S., and Mizuno, N.

Projection of the cerebellar dentate nucleus onto the frontal association cortex in monkeys, Exp Brain Res 37 (1979) 193-198.

Sasaki, K., Kyuhou, S., Nambu. A., Matsuzaki, R., Tsujimoto, T., and Gemba, H.

Motor speech centres in the frontal cortex, Neurosci. Res. 22 (1995) 245-248.

Sasaki, K., Nambu, A., Tsujimoto, T., Matsuzaki, R., Kyuhou, S., and Gemba, H.

Studies on integrative functions of the human association cortex with MEG, Cogn. Brain Res., 5 (1996) 165-174.

Sasaki, K., Tsujimoto, T., Nambu, A., Matsuzaki, R., and Kyuhou, S.

Dynamic activities of the frontal association cortex in calculating and thinking, Neurosci. Res. 19 (1994) 229-233.

佐藤光源

“燃え上がり効果”(Kindling effect)を用いたてんかんの実験的研究 I、海馬発作の発展過程に関する行動、脳波学的研究、精神経誌 77 (1975) 495-508.

佐藤光源

新しい精神医学・医療を開くための学会の現状と将来、精神経誌 105 (2003) 723-726.

Sawaguchi, T., and Goldman-Rakic, P. S.

D1 dopamine receptors in prefrontal cortex : involvement in working memory, Science 251 (1991) 947-950.

Sawaki, Y., Nihonmatsu, I., and Kawamura, H.

Transplantation of the neonatal suprachiasmatic nuclei into rats with complete bilateral suprachiasmatic lesions, Neurosci. Res. 1 (1984) 67-72.

Sawamura, H., Shima, K., and Tanji, J.

Numerical representation for action in the parietal cortex of the monkey, Nature 415 (2002) 918-922.

Schell, G.R., and Strick, P.L.

The origin of thalamic inputs to the arcuate premotor and supplementary motor areas, J. Neurosci. 4 (1984) 539-560.

Schmahmann, J.D. (Ed.)

The Cerebellum and Cognition, Academic Press, San Diego, London, Boston, New York, Sydney, Tokyo, Tronto, 1997.

Schmahmann, J.D., and Pandya, D.N.

The cerebrocerebellar system, pp.31-57, In: The Cerebellum and Cognition, Academic Press, San Diego etc. 1997.

Schmahmann, J.D., and Sherman, J.C.

The cerebellar cognitive affective syndrome, Brain 121 (1998) 561-579.

Schneider, K.

Klinische Psychopathologie , Georg Thieme Verlag, Stuttgart, 1950.

Schultz, R.T., Gauthier, I., Klin, A., Fulbright, R.K., Anderson, A.W., Volkmar, F., Skudlarski, P., Lacadie, C., Cohen, D.J., and Gore, J.C.

Abnormal ventral temporal cortical activity during face discrimination among individuals with autism and Asperger syndrome, Arch. Gen. Psychiat. 57 (2000) 331-340.

Schultz, W.

Predictive reward signal of dopamine neurons, J. Neurophysiol. 80 (1998) 1-27.

Schultz, W., Dayan, P., and Montague, R

A neural substrate of prediction and reward, Science, 275 (1997) 1593-1599.

Schweitzer, A.

Aus meinem Leben und Denken, 1931, Felix Meiner Verlag, Leipzig, わが生活と思想より、竹山道雄訳、1939、白水社

Schweitzer, A.

Goethe, Gedenkrede — gehalten bei der Feier der 100. Wiederkehr seiner Todestages in seiner Vaterstadt Frankfurt a. M. am 22. Maerz 1932. ゲーテ、子栗孝則訳、1949、新教出版社

Scoville, W.B., and Milner, B.

Loss of recent memory after bilateral hippocampal lesions, J.Neurol. Neurosurg. Psychiatry 20 (1957) 11–21.

Sechenov, I. M.

Selected Physiological and Psychological Works, prepared for print by the Academy of Sciences of the U.S.S.R., Moscow. (1952-1956), Esp., Reflex of the Brain (1863); The Elements of Thought (1878).

瀬川昌也

子どもの脳はいかにして人間の脳となるか—神経回路の発達からみた臨界齢、遺伝 58 (2004) 58-65.

「精神医学」特集・統合失調症とは何か—Schizophrenia 概念の変遷、精神医学 45 (2003) 572-624.

Seki, K., Kudoh, M., and Shibuki, K.

Sequence dependence of post-tetanic potentiation after sequential heterosynaptic stimulation in the rat auditory cortex, J. Physiol. (Lond) 533 (2001) 503-518.

関健二郎、工藤雅治、渋木克栄

LTP に伴う興奮性反響回路形成と記憶・学習—聴覚野スライス標本を用いた反響回路の解析、Brain Medical 13 (2001) 337-342.

石龍徳

大人の脳でもニューロンは新生する：成体の海馬で新生するニューロンは学習や情動と関係しているのだろうか？ p.108-p.136、In: 情と意の脳科学－人とは何か、pp.321、松本元、小野武年（編）2002、培風館。

Servan-Schreiber, D., Cohen, J.D., and Steingard, S.

Schizophrenic deficits in the processing of cortex; a test of theoretical model, Treh. Gen. Psychiat. 53 (1996) 1105-1112.

Sharma, J. Angelucci A. and Sur, M.

Induction of visual orientation modules in auditory cortex, Nature 404 (2000) 841-847.

Shaw, P., Lawrence, E.J., Radbourne, C., Bramham, J., Polkey, C.E., and David, A.S.

The impact of early and late damage to the human amygdale on ‘theory of mind’ reasoning, Brain 127 (2004) 1535-1548.

Shenton, M.E., Dickey, C.C., Frumin, M., and McCarley, R.W.

A review of MRI findings in schizophrenia, Schizophr. Res. 49 (2001) 1-52.

Shergill, S.S., Brammer, M.J., Williams, S.C.R., Murray, R.M., and McGuire, P.K.

Mapping auditory hallucinations in schizophrenia using functional magnetic resonance imaging,

Arch. Gen. Psychiat. 57 (2000) 1033-1038.

Shibutani, H., Sakata, H., and Hyvarinen, J.

Saccade and blinking evoked by microstimulation of the posterior parietal association cortex of the monkey, Exp. Brain Res. 55 (1994) 1-8.

Shidara, M., and Richmond, B.J.

Anterior cingulate: single neuronal signals related to degree of reward expectancy, Science 296 (2002) 1709-1711.

Shik, M.L., and Orlovsky, G.N.

Neurophysiology of locomotor automatism, Physiol. Rev. 56 (1976) 465-501.

Shima, K., and Tanji, J.

Both supplementary and presupplementary motor areas are crucial for the temporal organization of multiple movements, J. neurophysiol. 80 (1998a) 3247-3260.

Shima, K., and Tanji, J.

Role of cingulate motor area cells in voluntary movement selection based on reward, Science 282 (1998b) 1335-1338.

Shima, K., and Tanji, J.

Neuronal activity in the supplementary and presupplementary motor areas for temporal organization of multiple movements, J. neurophysiol. 84 (2000) 2148-2160.

Shimada, M., Tritos, N.A., Lowell, B.B., Flier, J.S., and Maratos-Flier, E.

Mice lacking melanin-concentrating hormone are hypophagic and lean, Nature 396 (1998) 670-674.

島崎敏樹

心の眼に映る世界 現代教養文庫 340 1961 社会思想社

Shiwa, T.

Corticocortical projections to the monkey temporal lobe with particular reference to the visual processing pathways, Arch. Italien. Biol. 125 (1987) 139-154.

Sibley, D.R., and Monsma, F.J.

Molecular biology of dopamine receptors, Trends Pharmacol. Sci. 13 (1992) 61-69.

Siegel, M., and Varley, R.

Neural systems involved in theory of mind, Nat. Rev. Neurosci. 3 (2002) 463-471.

Skaggs, W.E., McNaughton, B.L., Wilson, M.A., and Barnes, C.A.

Theta phase precession in hippocampal neuronal populations and the compression of temporal sequences, Hippocampus 6 (1996) 149-172.

Snider, R.S., and Eldred, E.

Cerebral projections to the tactile, auditoy and visual areas of the cerebellum. (Abstract), Anat. Rec. 100 (1948) 714.

Snider, R.S., and Eldred, E.

Electro-anatomical studies on cerebro-cerebellar connections in the cat, J. Comp. Neurol., 95 (1951) 1-16.

Snider, R.S., and Stowell, A.

Receiving areas of the tactile, auditory and visual systems in the cerebellum, J. Neurophysiol. 7 (1944) 331-357.

Sowell, E.R., Thompson, P.M., Leonard, C.M., Welcome, S.E., Kaan, E., and Toga, A.W.

Longitudinal mapping of cortical thickness and brain growth in normal children, J. Neurosci. 24 (2004) 8223-8231.

Spielmeyer, W.

Die Pathogenese des epileptischen Krampfes. Histopathologischen Teil. Z. Neur. pp.109-, 1927.

Steinbusch, H.W.M.

Distribution of serotonin-immunoreactivity in the central nervous system of the rat cell bodies and terminals, Neuroscience 6 (1981) 557-618.

Stroop, J.R.

Studies of interference in serial verbal reactions, J. Exp. Psychology 18 (1935) 643-662.

Sun, F., and Yu, J.

The effect of a special herbal tea on obesity and anovulation in androgen-sterilized rats, Proc. Soc. Exp. Biol. Med. 223 (2000) 295-301.

Sun, T., Patoine, C., Abu-Khalil, A., Visvader, J., Sum, E., Cherry, T.J., Orkin, S.H., Geschwind, D.H., and Walsh, C.A.

Early asymmetry of gene transcription in embryonic human left and right cerebral cortex, Science (2005) 1794-1798.

Sunahara, R.K., Guan, H.C., O'Dowd, B. F., Seeman, P., Laurier, L.G., Ng, G., George, S.R., Torchia, J., Van Tol, H.H., and Niznik, H.B.

Cloning of the gene for a human dopamine D5 receptor with higher affinity for dopamine than D1, Nature 350 (1991) 614-619.

Surguladze, S.A., Brammer, M.J., Young, A.W., Andrew, C., Travis, M.J., Williams, C.R., and Phillips, M.L.

A preferential increase in the extrastriate response to signals of danger, NeuroImage 19 (2003) 1317-1328.

Suzuki, H.

Distribution and organization of visual and auditory neurons in the monkey prefrontal cortex, Vision

Res. 25 (1985) 465-469.

鈴木道雄、倉知正佳

精神分裂病の神経発達障害仮説の特徴と問題点、精神科治療学 12 (1997) 503-512.

鈴木道雄、倉知正佳

精神分裂病の画像研究の臨床的意義、臨床の脳波 43 (2001) 774-779.

Swick, D., and Turken, A.U.

Dissociation between conflict detection and error monitoring in the human anterior cingulated cortex, PNAS 99 (2002) 16354-16355.

泰羅雅昇

頭頂葉一ヒトとサルの機能的 homology、脳の科学 24 (2002) 945-956.

高橋功

生命への畏敬、シュワイツァーの人間像、1975、玉川大学出版部。

高草木薰、斎藤和也、幅口達也、大日向純子

大脳基底核による歩行と筋緊張の制御、脳の科学 23 (2001) 1049-1054.

Tamamaki, N., Yanagawa, Y., Tomioka, R., Miyazaki, J., Obata, K., and Kaneko, T.

Green fluorescent protein expression and colocalization with calretinin, parvalbumin, and somatostatin in the GAD67-GFP knock-in mouse, J.comp.Neurol. 467 (2003) 60-79.

丹治 順

脳と運動—アクションを実行させる脳 1999 共立出版。

丹治順

運動の順序制御に関する運動領野、In:脳の高次機能(丹治順、吉澤修治編)、83-93 頁、2001、朝倉書房

Tei, H., Okamura, H., Shigeyoshi, Y., Fukuhara, C., Ozawa, R., Hirose, M., and Sakaki, T.

Circadian oscillation of a mammalian homologue of the *Drosophila* *period* gene, Nature 389 (1997) 512-516.

Tekin, S. and Cummings, J.L.

Fronto-subcortical neuronal circuits and clinical neuropsychiatry, an update, J. Psychosom. Res. 53 (2002) 647-654.

寺沢恒信

意識論 1984 大月書店

Thorpe, S.J., and Fabre-Thorpe, M.

Seeking categories in the brain, Science 291 (2001) 260-263.

時実利彦

目でみる脳=その構造と機能、1969、東京大学出版会。

Tomita, H., Ohbayashi, M., Nakahara, K., Hasegawa, I., and Miyashita, Y.

Top-down signal from prefrontal cortex in executive control of memory retrieval, Nature 401 (1999) 699-703.

Tsien, J.S., Hyuerta, P.T., and Tonegawa, S.

The essential role of hippocampal Ca1 NMDA receptor-dependent plasticity in spatial memory, Cell 87 (1996) 1327-1338.

坪川達也

社会行動と魚の脳、慶應義塾大学日吉紀要自然科学 26 (1999) 1-10.

Tsuchida, H., Yamamoto, N., Kajii, Y., Umino, A., Fukui, K., and Nishikawa, T.

Cloning of a D-serine-regulated transcript dsr-1 from the rat cerebral cortex, Biochem. Biophys. Res. Comm. 280 (2001) 1189-1196.

角田忠信

日本人の脳 1978 大修館。

角田忠信

右脳と左脳—脳センサーでさぐる意識下の世界 1992 小学館。

Tsutsui, K., Sakata, H., Naganuma, T., and Taira, M.

Neural correlates for perception of 3D surface orientation from texture gradient, Science 298 (2002) 409-412.

Tsutsui, K., Jiang, M., Sakata, H., Taira, M.

Short-term memory and perceptual decision for three-dimensional visual features in the caudal intraparietal sulcus(Area CIP), J. Neurosci. 23 (2003) 5486-5495.

Uchimura, Y.

Zur Pathogenese der örtlich elektiven Ammonshornerkrankung, Zeitsch. f. ges. Neurol. Psych. 114 (1928) 567-601.

内村祐之

精神医学の基本問題、1972、医学書院。

植村秀治、北村吉宏、木村宏

側頭葉てんかんにおける歯状回苔状線維発芽とシナプス再構成の意義。脳と精神の医学 7 (1996) 337-344.

Uno, M., and Ozawa, N.

Amygdaloid kindling and augmentation of synaptic responses in the accumbens and caudate nuclei in the cats, Folia Psychiat. Neurol. Jap. 37 (1983) 369-371.

Utena, H.

A special type of model psychosis: a chronic methamphetamine intoxication in man and animal, 脳神經 13 (1961) 687-692.

臺弘

履歴現象と機能的切断症状群。精神医学 21 (1979) 453-463.

臺弘

分裂病の治療覚書。1991、創造出版。

臺弘

脳と心は言葉で出会う。蛋白質 核酸 酵素 40 (1995) 596-598. (生体の科学 33, 1982, 243-249 参照)

臺弘

情動・記憶・意欲をいかにとらえるか 一分裂病の場合。脳の科学 20 (1998) 717-722.

臺弘

精神医学の思想—医療の方法を求めて、第二版、1999、創造出版。

臺弘

脳とこころは「ことば」<カタチ>で出会う。臨床精神病理 21 (2000) 205-214.

Utena, H.

Life-oriented approach to treatment and simple functional tests for clinical practice, pp. 3-12, In :Comprehensive Treatment of Schizophrenia, Linking Neurobehavioral Findings to Psychosocial Approaches, eds by Kashima, H., Falloon, I.R.H., Mizuno, M., and Asai, M. 2002a, Springer-Verlag Tokyo.

臺弘

精神機能の基本的指標—簡易テストの工夫、精神科治療学 18 (2003) 1455-1458.

臺弘、斎藤治

分裂病者診療の目標 —自由と病気と生活、In: 新世紀の精神科治療、中山書店(2002b) 3-14.

Vaadia, E., Benson, D.A., Hienz, R.D., and Goldstein, Jr., M.H.

Unit study of monkey frontal cortex: active localization of auditory and of visual stimuli, J. Neurophysiol. 56 (1986) 934-952.

Van Hoesen, G.W.

The parahippocampal gyrus. New observation regarding its cortical connections in the monkey, Trends Neurosci. 5 (1982) 345-353.

Van Tonder, G.J., Lyons, M.J., and Ejima, Y.

Visual structure of a Japanese Zen garden, Nature 419 (2002) 359-360.

Vikkunen, M.E., Horrobin, D.F., Jenkins, D.K., and Manku, M.S.

Plasmaphospholipid essential fatty acids and prostaglandins in alcoholic, habitually violent, and impulsive offenders, Biol.Psychiatry 22 (1987) 1087-1096.

Vikkunen, M.E., and Penttiner, H.
Serum cholesterol in aggressive conduct disorder: a preliminary study, Biol. Psychiatry 19 (1984) 435-439.

Vincent, J-D
Biologie des Passions, 1986, 1993, Ed. Odile Jacob, 感情の生物学、安田一郎訳、青土社、1993

Vogt, B.A., and Devinsky, O.
Topography and relationships of mind and brain, Prog. Brain Res. 122 (2000) 11-22.

Volz, H., Gaser, C., and Sauer, H.
Supporting evidence for the model of cognitive dysmetria in schizophrenia — a structural magnetic resonance imaging study using deformation-based morphology, Schizophr. Res. 46 (2000) 45-56.

Voogd, J.
The Cerebellum of the Cat. Structure and Fibre connexions. Thesis. Assen, Van Gorcum, 215 pp., 1964.

Voogd, J.
The importance of fiber connections in the comparative anatomy of the mammalian cerebellum. In: R. Linas (ed.) Neurobiology of Cerebellar Evolution and Development, p. 493-514, Education & Research Foundation, Chicago, Ill., 1969.

Vygotsky, L.S.
Development of the Higher Mental Function, (in Russian), 1960, Acad. Pedagog. Sci. Press RSFSR, Moscow, 精神発達論(除村吉太郎、柴田義松訳) 1964、明治図書

Walberg, F., Pompeiano, O., Westrum, L.E., and Hauglie-Hanssen, E.
Fastigioreticular fibers in the cat. An experimental study with silver methods, J. comp. Neurol. 119 (1962) 187-199.

Watanabe, J., Sugiura, M., Sato, K., Sato, Y., Maeda, Y., Matsue, Y., Fukuda, H., and Kawashima, R.
The human prefrontal and parietal association cortices are involved in no-go performances: an event-related fMRI study, NeuroImage 17 (2002) 1207-1216.

Watanabe, M.
Prefrontal unit activity during delayed conditional go/no-go discrimination in the monkey. I. Relation to the stimulus, Brain Res. 382 (1986) 1-14.

Watanabe, M.
Prefrontal unit activity during delayed conditional go/no-go discrimination in the monkey. II. Relation to go and no-go responses, Brain Res. 382 (1986) 15-27.

Watanabe, M.
The appropriateness of behavioral responses coded in post-trial activity of primate prefrontal units, Neurosci. Lett. 101 (1989) 113-117.

Watanabe, M.
Reward expectancy in primate prefrontal neurons, Nature 382 (1996) 629-632.

Watanabe, M.
Cognitive and motivational operations in primate prefrontal neurons, Reviews in Neurosci. 9 (1998)

225-241.

Watanabe, M.

Integration across multiple cognitive and motivational domains in monkey prefrontal cortex, pp.326-337, In: Principles of Frpntal Lobe Function, Eds.Struss,D.T.,and Knight,R.T., Ocford Univ. Press, 2002.

渡辺正孝

前頭前野における報酬情報処理、神経進歩 49 (2005) 527-537.

渡辺剛

睡眠覚醒リズム障害の高照度光療法、神経進歩 45 (2001) 817-825.

Wauchope, O.S.

Deviation into Sense ; The Nature of Explanation, Faber & Faber, London, 1948, ものの考え方 (深瀬基寛訳) 1951 弘文堂

Weeks, R.A., Aziz-Sultan, A., Bushara, K.O., Tian,B., Wessinger, C.M., Dang, N., Rauschecker, J.P., and Hallett, M.

A PET study fo human auditory special processing, Neurosci. Lett. 262 (1999) 155-158.

Weeks, R., Horwitz, B., Aziz-Sultan, A., Tain, B., Wessinger, M., Cohen, L.G., Hallett, M., and Rauschecker, J.P.

A positron emission tomographic study of auditory localization in the congenitally blind, J. Neurosci. 20 (2000) 2664-2672.

Wells, H.K.

Pavlov and Freud : I (I. P. Pavlov : Toward a scientific psychology and psychiatry, 1956) and II(S. Freud : A Pavlovian critique, 1960)、パブロフとフロイド、中田実、堀内敏訳、1966、黎明書房

Wiesel, T.N., and Hubel, D.H.

Extent of recovery from the effects of visual deprivation in kittens. J Neurophysiol. 28 (1965) 1060-1072.

Williams, G.V., and Goldmam-Rakic, P.S.

Modulation of memory fields by dopamine D1 receptors in prefrontal cortex, Nature 376 (1995) 572-575.

Wilson, F.A.W., O'Scalaidhe, S.P., and Goldman-Rakic, P.S.

Dissociation of object and special processing domains in primate prefrontal cortex, Science 260 (1993) 1955-1958.

Wirtshafter, D., Stratford, T.R., and Shim, I.

Placement in a novel environment induces fos-like immunoreactivity in supramammillary cells projecting to the hippocampus and midbrain, Brain Res. 789 (1998) 331-334.

Wise, S.P., Boussaoud, D., Johnson, P.B., and Caminiti, R.

Premotor and parietal cortex: corticocortical connectivity and combinatorial computations , Annu. Rev. Neurosci. 20 (1997) 25-42.

Yakovlev, P.I.

Motility, behavior and the brain. Stereodynamic organization and neural co-ordinates of behavior, J. Nerv. Ment. Disease 107 (1948) 313-335.

Yamada, M., Miyakawa, T., Duttaroy, A., Yamanaka, A., Moriguchi, T., Makita, R., Ogawa, M., Chou, C.J., Xia, B., Crawley, J.N., Felder, C.C., Deng, C.-X., and Wess, J.
Mice lacking the M3 muscarinic acetylcholine receptor are hypophagic and lean, *Nature* 410 (2001) 207-212.

Yamaguchi, Y.
Frontal theta activity. In: N. Yamaguchi and K. Fujisawa (eds.), *Recent Advances in EEG and EMG Data Processing*, Elsevier, Amsterdam, 1981, pp.391-396.

Yamaguchi, Y.
A theory of hippocampal memory based on theta phase precession, *Biol. Cybern.* 89 (2003) 1-9.

山口陽子
海馬におけるシータリズム位相コードと記憶、*生体の科学* 55 (2004) 33-42.

Yamaguchi, Y., Aota, Y., McNaughton, B.L., and Lipa, P.
Modality of theta phase precession in hippocampal place cells in freely running rats, *J. Neurophysiol.* 87 (2002) 2629-2642.

Yamasue, H., Kasai, K., Iwanami, A., Ohtani, T., Yamadea, H., Abe, O., Kuromi, N., Fukuda, R., Tochigi, M., Furukawa, S., Sadamatsu, M., Sasaki, T., Aoki, S., Ohtomo, K., Asukai, N., and Kato, N.
Voxel-based analysis of MRI reveals anterior cingulated gray-matter volume reduction in posttraumatic stress disorder due to terrorism, *PNAS* 100 (2003) 9039-9043.

安永浩
精神の幾何学、1987、岩波書店。

安永浩
分裂病症状機構に関する一仮説—ファンтом論について、In: *分裂病の精神病理1*、土居健郎編、1972、東京大学出版会。

安永浩
分裂病症状機構に関する一仮説(その二)—「置き去り」効果について— In: *分裂病の精神病理2*、宮本忠雄編、1974、東京大学出版会

安永浩
分裂病型妄想の理論的問題、*精神医学* 21 (1979) 127-137.

Yeung, N., Cohen, J.D., and Botvinick, M.M.
The neural basis of error detection: conflict monitoring and the error-related negativity, *Psychol. Rev.* 111 (2004) 931-959.

Young, K.A., Manaye, K.F., Liang C., Hicks, P.B., and German, D.C.
Reduced number of mediodorsal and anterior thalamic neurons in schizophrenia, *Biol. Psychiat.* 47 (2000) 944-953.

Young, M.W., Jackson, F.R., Shin, H.-S., and Bargiello, T.A.
A biological clock in *Drosophila*, *Cold Spring Harb. Symp. Quant. Biol.* 50 (1985) 869-875.

湯浅茂樹、八木健

情動に関わる遺伝子とそのノックアウトマウス、脳の科学 20 (1998) 741-743.

Yukie, M., Zhong, Y.-M., Konagaya, H., Rockland, K.

Cortical terminations of hippocampal projections, 日本神経科学大会抄録集、P3-289.

Zatorre, R.J., Bouffard, M., Ahad, P., and Belin, P.

Where is ‘where’ in the human auditory cortex ? Nature Neurosci. 5 (2002) 905-909.

Zatorre, R.J., Evans, A.C., and Meyer, E.

Neural mechanisms underlying melodic perception and memory for pitch, J. Neurosci. 14 (1994) 1908-1919.

Zeki, S.M.

Functional organization of a visual area in the posterior bank of the superiior temporal sulcus of the rhesus monkey, J. Physiol. 236 (1974) 549-573.

Zeki, S.

The representation of colour in the cerebral cortex, Nature 284 (1980) 412-418.

Zeki, S.M.

Colour coding in the cerebral cortex: the reaction of cells in monkey visul cortex to wavelengths and colours, Neurosci. 9 (1983) 741-765.

Zeki, S.M.

Inner Vision : An Exploration of Art and the Brain. 1999, 脳は美をいかに感じるか(2002, 河内十郎訳)日本経済新聞社

Zola-Morgan, S., and Squire, L.R.

Memory impairment in monkeys following lesions of the hippocampus, Behav. Neurosci. 100 (1986) 155-160.